



SJVN Limited

(A Joint Venture of Govt. of India & Govt. of Himachal Pradesh)
A Mini Ratna & Schedule 'A' PSU

Naitwar-Mori Hydro Electric Projects

Village- Bainol, Post- Mori, Distt. Uttarkashi (Uttarakhand) – 249128

e-mail: nmjshep07@gmail.com

No. SJVN/NM HEP/ENV/Devta/2022-192-194

Dated: 30/05/2022

To,

**Additional Principal Chief Conservator of Forests,
Ministry of Environment, Forests & Climate Change,
Regional Office (Central), 25, Subhas Road,
Dehradun-248001 (Uttarakhand)**

Subject: Environment Clearance for quarry activity in r/o SJVN Limited, Naitwar –Mori Hydro Electric Project located at Devta Range, Bhasla Compartment-1,2&3 of Tons Forest Division in Uttarkashi District of Uttarakhand - **Six Monthly Compliance Report** -regarding.

Reference: 1. Environment Clearance letter No. EC-47-01(73)/2019, dated 26.09.2019
2. SEIAA Corrigendum vide letter No. 344/SEIAA, dated 03.06.2020
3. SEIAA letter No. 505/SEIAA, dated 05.10.2020
4. SJVN Letter No. SJVN/NM HEP/ENV/Devta/2021-608-610, dated 01.12.2020

Sir,

With reference to the above-mentioned Environment Clearance letter, SJVN Limited is pleased to submit the Six-Monthly Compliance Report of the conditions stipulated in Environment Clearance for the period from 01.10.2021 to 31.03.2022. The Six-Monthly Compliance Report is enclosed as Enclosure-I.

Thanking you

Yours faithfully,

Ajaya
30/05/2022

(Ajay Kumar Verma)
Manager (Environment)
NM HEP, SJVN Limited,
Distt.- Uttarkashi, Uttarakhand

Encl: As above

Copy for information to:

1. Member Secretary, State Level Environment Impact Assessment Authority (SEIAA), Malik Chauk, 653, Indira Nagar Colony, Seemadwar Road, Dehradun-248006 (Uttarakhand).
2. Member Secretary, Uttarakhand Environment Protection & Pollution Control Board (UEPPCB), 46-B, IT Park, Sahstradhara Road, Dehradun, (Uttarakhand)

Registered & Corporate Office:

SJVN Limited, Shakti Sadan, Corporate Office Complex, Shanan, Shimla-171006 (H.P.)
Website: www.sjvn.nic.in CIN: L40101HP1988GOI008409

SIX MONTHLY COMPLIANCE REPORT
(For period ending March, 2022)

(i) Details of Head of the Project

Name of Head of Project : Er. J. S. Nayyar, Head of the Project
 Address : SJVN Limited, Naitwar Mori Hydro Electric Project,
 Village-Bainol, Post- Mori, District- Uttarkashi-249128
 (Uttarakhand)
 Mobile No. : +91-9780074490
 E-mail ID : nmjshep07@gmail.com
 Cost of CER is proposed as 2% (i.e. Rs. 20,000.00) of project cost- In accordance with the proposal received from DFO, Tons Forest Division, Purola for toilet & drinking water, an amount of Rs. 20,000.00 has been deposited with DFO, Tons Division, Purola, Uttarkashi **(Copy enclosed as Annexure-1)**.

(ii) The point-wise compliance status of Environment Clearance granted by SEIA, Uttarakhand vide E.C. No. 47-01(73)/2019 dated 26.09.2019 and corrigendum vide letter no. 344/SEIAA dated 03.06.2020 are as under:

Sr. No.	Particular	Compliance Status
1	Conditions for operation phase	
1	The project proponent should advertise with basis details at least in two widely circulated local newspapers, within seven (7) days of the receipt of the clearance letter informing that the project has been accorded environmental clearance by the State Environment Impact assessment Authority, Dehradun and a copy of the same be sent to the Regional Office of Ministry of Environment and Forest, Govt. of India located at 25 Subhash Road Dehradun.	The environmental clearance accorded to the project has been advertised in two local newspapers i.e. <i>Dainik Jagran</i> and <i>Rastriya Sahara</i> on 22.10.2019. (Copy enclosed as Annexure-2)
2	Extraction of minor minerals shall be restricted to middle half of the width of river bed/mining site after leaving intact one-fourth of width of the river bed/mining site along its each bank.	Extraction of minor minerals is being carried out in the middle half of the width of river bed after leaving intact one-fourth of width of the river bed along both the banks as per the approved Mining plan.
3	The collection of minor minerals during a working season shall start from centre of the river/mining site width and shall gradually extend to the boundary of the permissible area so as to ensure maintenance of river geometry. The maximum permissible depth for collection of minor minerals at centre of the river/mining site width shall be fixed at 1.5meter or up to ground water level whichever is less.	Extraction of minor minerals is being carried out in accordance to the approved Mining plan.
4	Extraction of minor mineral is permitted from 1 st October of every year to 30 th June of the subsequent year or onset of monsoon whichever is earlier. It shall be ensured that no mining activity is carried out during the monsoon season. Workers should be advised and protected against flash flood during 1 st June to 30 June and 1 st Oct. to 31 st Oct. during which there may be rains in the hills.	In compliance of corrigendum of SEIAA letter no. 344/SEIAA, dated 03.06.2020 the mining operation was stopped on 15 th June 2021 and started on 05.10.2021.
5	The project proponent has to regulate and maintain record of the quantity of minor minerals extracted during a season. The monitoring shall be ensured by Mines Department/District Administration from time to time as per rules.	Online <i>e-ravanna</i> are being generated on daily basis and the monthly statement (MM-12) is being shared with DM, Uttarkashi and

		District Mining Department, Uttarkashi.
6	The mining work shall be exclusively manual. No mechanical work or drilling/blasting should be involved at any stage. Minor minerals shall be collected manually by using hand tools, and use of explosives and heavy machineries for breaking/collection of minor minerals are strictly prohibited. The use of JCB for mining is strictly prohibited.	Is being ensured.
7	The collection time of river bed materials (RBM) shall be from sunrise to sun-set.	Extraction of material is being carried out during day time (i.e. sunrise to sunset).
8	The project proponent shall strictly adhere to the norms of Transport department in refraining from use of pollution and less fuel efficient vehicles for transporting extracted minor minerals. There shall be no over loading of vehicles as per standard norms of Centre Govt./State Govt./Hon'ble Courts from time to time.	Is being adhered.
9	There shall be no labour camp in the mining lease area for the labour engaged collection of the minor minerals. The labour engaged in collection/extraction work shall be provided free fuel wood/alternate source of energy to avoid any pressure on adjoining forest land.	The labours are residing in the labour camps of the main Civil contractor (involved in construction of Naitwar-Mori HEP) which about 15 km away from the mining site.
10	The project proponent shall ensure that maximum local labour be engaged and hence employment opportunity provided. The project proponent shall follow all safety measures for labour force engaged in accordance with respected Acts/Rules.	Is being ensured.
11	The proponent shall erect eco-friendly mobile toilets for the workforce at site and shall ensure disposal of solid waste as per the existing provisions/rules/ guidelines.	Is being ensured.
12	The project proponent shall prepare the plan of mining in conformity with the mine lease conditions and the rules prescribed in this regard thereby clearly delineating the No Work Zone in the mine lease area (Non mining area) distance from the bridges etc. It should be minimum 3 m or 1/10 th of the width of the river whichever is more.	Extraction of minor minerals is being carried out as per the Mining plan approved by Director, Mining & Geology, Uttarakhand (Annexure-3).
13	The project proponent shall undertake adequate safeguard measures during extraction of river bed material and ensure that due to this activity the hydro geological regime of the surrounding area are not affected. The proponent should not interfere with the flow of water and amount of water.	Is being ensured.
14	The project proponent shall ensure refraining from leaving behind clothes, personal belongings of labour engaged, polythene, plastic bottles, carton etc or any other solid waste in work site at the end of working season.	Is being ensured.
15	The project proponent shall provide protective respirator devices to workers working in dusty areas and they shall also be provided with adequate training and information on safety and health aspects periodical medical examination of the workers engaged in the project shall be carried out and records maintained.	Is being done.
16	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated EC conditions including results of monitored data both in soft copy to this authority and regional office of MoEF&CC, Govt. of India at Dehradun.	Six-monthly compliance Reports are being regularly submitted to MoEF&CC Regional Office (Central), Dehradun & SEIAA,

		Uttarakhand, Dehradun-248006 and Uttarakhand Environment Protection and Pollution Control Board, Dehradun and also uploaded on our website www.sjvn.nic.in. The last compliance report for the period ending September 2020 was submitted on 06.12.2021.
17	Link road from mining site to main road shall be maintained by the project proponent.	Is being maintained.
18	The topsoil if any shall be stalked at earmarked site only. It shall be used for reclamation.	Is being ensured.
19	Mineral handling, loading and unloading areas including all the transfer points should have efficient dust control arrangements. These should be properly maintained and operated.	Regular water sprinkling is being done for dust suppression.
20	Effective safeguard measures, such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points. Extensive water sprinkling shall be carried out on haul roads. It should be ensured that the ambient air quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.	Regular water sprinkling is being done for dust suppression. Result of Air, water & noise quality parameters done at quarry site between 29.03.2022 to 31.03.2022 are enclosed as Annexure-4
21	The project proponent shall plant 2000 trees in first 2 years in consultation with Forest Department followed by their maintenance in the last 3 years. The plants should be planted in the buffer zone of the mining site and in the blank area near by Van Panchayats/Gram Sabha land.	In accordance with the estimate received from DFO, Tons Forest Division, Purola for plantation of 2000 plant sampling an amount of Rs. 1,79,800.00 has been deposited with DFO, Tons Division, Purola, Uttarkashi. DFO, Tons Forest Division, Purola vide his letter No. 2307/3-2, dated 29.04.2021 has informed that 2000 trees have been planted. (Copy enclosed as Annexure-5).
22	Project proponent will strictly comply with EMP/EIA.	Is being ensured.
23	Project proponent will have to obtain work order/consent to establish or operate from mining department (Lessor) and Pollution Control Board before starting work.	Consent to Establish (Copy enclosed as Annexure-6) and Consent to Operate (Copy enclosed as Annexure-7) have been obtained from UEPPCB, Dehradun.
2	Conditions for entire life of the project:	
1	Legal status of the mining lease area shall remain unchanged and the environmental clearance shall remain coterminous with the lease period. The mined lease area shall not be used for any purpose other than that specified in the proposal.	Agreed

2	In case of flash flood and river changing its meandering course, fresh proposal has to be submitted for grant of environmental clearance.	Agreed
3	The project proponent shall formulate a transparent and unbiased procedure for engagement of labourers for sustainable extraction of the minor minerals from the mining lease area.	Is being ensured
4	The project proponent has to regulate and maintain record of the quality record of the quantity of minor minerals extracted during the season. The monitoring shall/will be ensured by Department of mines/District Administration from time to time.	Is being done
5	The project proponent shall strictly adhere to the norms of Transport Department in refraining from use of polluting and less fuel efficient vehicles for transporting extracted minors minerals. There shall be no over loading of vehicles as per standard norms of Central Government/State Government/Hon'ble Courts from time to time.	Is being adhered
6	If the ownership is transferred then fresh Environment Clearance will be obtained under EIA notification dated 14.09.2006. However, no activity shall be undertaken till the Environment Clearance is transferred in his name and he is lawfully bound to comply with the conditions of the Environment Clearance.	Agreed
7	The Ministry of Environment, Forest and Climate has formulated the 'Sustainable Sand Mining Management Guidelines 2016'. The Proponent shall ensure the implementation of the Sustainable Sand Mining Management Guidelines 2016.	Agreed
8	If it is found that if conditions laid down by the Authority are violated, Authority may suspend or cancel his Environment Clearance.	Agreed



कार्यालय

प्रभागीय वनाधिकारी, टौन्स वन प्रभाग, पुरोला

पत्राक- 39 / 3-2 पुरोला, दिनांक, 06/07/2021।

फोन/फैक्स नं०-01373-223328
E-Mail- dfotons-forest-uk@nic.in
वन मित्र कॉल सेंटर-9208008000

सेवा में,

✓ महाप्रबन्धक (परियोजना प्रमुख),
नैटवाड़ मोरी जल विद्युत परियोजना,
मोरी-उत्तराखण्ड।

विषय-
महोदय,

भासला कक्ष सं०-1 में स्थित तितली पार्क के शौचालय पिट के टूट जाने के सम्बन्ध में।

उपरोक्त विषयक पत्र के क्रम में अवगत कराना है कि तितली पार्क के समीप निर्मित शौचालय का पिट टूट जाने से वहाँ दुर्गन्ध आ रही है एवं वहाँ आने जाने वाले दर्शनार्थियों को परेशानी का सामना करना पड़ रहा है। चूंकी आपका खनन क्षेत्र तितली पार्क से लगा है, तथा वन क्षेत्राधिकारी, देवता रेंज, एवं आपके मध्य हुये वार्ता के क्रम में वन क्षेत्राधिकारी, देवता रेंज द्वारा अवगत कराया गया है कि "निगम पर्यावरण दायित्व" मद में आपके पास मु०-20.000 (बीस हजार रू०) पड़े है।

अतः आप उपरोक्त धनराशि को प्रभागीय वनाधिकारी, टौन्स वन प्रभाग, पुरोला के नाम A/c Pay Cheque का बैंक ड्राफ्ट जो भारतीय स्टेट बैंक पुरोला में देय हो, को निर्गत करने का कष्ट करें।

श्री प्रमुख
नैटवाड़ मोरी
जल विद्युत परियोजना
06/07/2021
कार. प्रबन्धक (HR)
प्र. वन (उत्तराखण्ड)



भवदीय,

(सुबोध कुमार काला)
प्रभागीय वनाधिकारी,
टौन्स वन प्रभाग पुरोला।



एसजेवीएन लिमिटेड

(भारत सरकार एवं हिमाचल सरकार का संयुक्त उपक्रम)

SJVN Limited

(A Joint Venture of Govt. of India and Govt. of H.P.)

फैक्स नं.: 01373-234303

Tel.: 01373-234370

01373-234423

Website: www.sjvn.nic.in

CIN : L40101HP1988GOI008409

पत्रांक- एसजेवीएन/एनएमएचईपी/पर्यावरण /21-111-112

दिनांक 10/08/2021

सेवामें,

प्रभागीय वनाधिकारी,
टौंस वन प्रभाग,
पुरोला (उत्तरकाशी)।

विषय- जनपद उत्तरकाशी के अन्तर्गत नैटवाड़ मोरी जल विद्युत परियोजना 60 मेगावॉट के निर्माण के लिए खनन चुगान क्षेत्र देवता रेंज, भासला कक्ष सं० 1, 2 एवं 3 की पर्यावरण स्वीकृत शर्त की अनुपालना के क्रम में निगम पर्यावरण दायित्व हेतु धनराशि निर्गत करने के सम्बन्ध में।

सन्दर्भ- आपके कार्यालय का पत्रांक सं० 39/3-2 पुरोला, दिनांक 06.07.2021

महोदय,

उपरोक्त विषय के सन्दर्भ में पर्यावरण स्वीकृत में वर्णित शर्त सं० (17) के अनुसार खनन क्षेत्र (देवता रेंज, भासला कक्ष सं० 1, 2 एवं 3) के वफर जोन एवं आस-पास निगम पर्यावरण दायित्व के तहत स्वच्छता एवं पीने के पानी की व्यवस्था किया जाना है। इस शर्त की अनुपालना के क्रम में टौंस वन प्रभाग पुरोला द्वारा तितली पार्क के समीप निर्मित शौचालय की मरम्मत एवं पीने के पानी की व्यवस्था हेतु 20,000/- रुपये का व्यय प्रस्तावित किया गया है।

उपरोक्त के क्रम में रू० 20,000/- की धनराशि भारतीय स्टेट बैंक, चैक सं० 94720 को संलग्न कर आपके अग्रिम कार्यवाही हेतु सादर प्रेषित है।

धन्यवाद।

संलग्नक- उपरोक्तानुसार

भवदीय

अजय कुमार वर्मा
10/08/2021
(अजय कुमार वर्मा)
प्रबन्धक (पर्यावरण)

o/c

प्रतिलिपि- मुख्य महाप्रबन्धक (परियोजना प्रमुख), नैटवाड़ मोरी जल विद्युत परियोजना मोरी को सादर सूचनार्थ।



भारतीय स्टेट बैंक
State Bank Of India

(05451)-MORI
DIST:UTTARKASHI,
UTTRAKASHI,UTTARAKHAND 249194
Tel : 1373 24500 Fax : IFS Code : SBIN005451 SWIFT :

वैधता 3 महीने के लिए वैध / VALID FOR 3 MONTHS ONLY

1 0 0 8 2 0 2 1
D D M M Y Y Y Y

PAY प्रभागीय वनाधिकारी, टेन्स वन प्रभाग, पुरोला को या उनके आदेश पर OR ORDER

रुपये RUPEES बीस हजार रुपये मात्र

अदा करें ₹ 20,000/-

खा. सं.
A/c No. 11808403036

VALID UP TO ₹ 50 LACS AT NON-HOME BRANCH FOR NON-CASH TRANSACTION ONLY

CURRENT A/C
PREFIX :
0523500003

63030480811

(Signature)
SATLUJ JAL VIDYUT NIGAM LTD

Please sign above

MULTI-CITY CHEQUE Payable at Par at All Branches of SBI

⑈947201⑈ 249002012⑈ 000089⑈ 29

ताई जा रही
। चंद्रप्रकाश और
बर को मुनस्यारी
र की रात दोनों
र फीट की ऊंचाई
रेसॉर्ट में रहे। रात
पदार्थ पी लिया।
हुए रिसेंट के
गुंघे। दोनों की
टि के कर्मचारी
सीएचसी पहुंचे।
। गया। पुलिस
से भी जोड़कर

जिर, दो
निलंबित

पूर्व थाने
गई करने
प्र कर्मियों पर
। प्रारंभिक
होने पर
ला एसआइ
के साथ ही दो
लंबित कर दिया
गला का कुछ
है। दूसरे पक्ष
। तहरीर दी

थोड़ी ढील दी है। पहले विशेष आर्थिक

लोगों को घुसपैठिया साबित करना चाहती है भाजपा : हरदा

रुद्रपुर : पूर्व मुख्यमंत्री हरीश रावत ने कहा कि भाजपा सरकार एनआरसी लागू करने की बात कैसे कर सकती है। उत्तराखंड में एक भी ऐसा नागरिक नहीं है, जिसके लिए उन्हें एनआरसी लागू करना पड़े। यदि सरकार ऐसा करती है तो कांग्रेस इसका पुरजोर विरोध करेगी। पूर्व सीएम रावत ने सोमवार को एक होटल में पत्रकार वार्ता के दौरान कहा कि नागरिकों को वांटने का अधिकार किसी को नहीं है। सरकार अपनी राजनीति में उत्तराखंड के लोगों को लपेटने की फिराक में है। प्रदेश में नेशनल सिटीजन रजिस्टर यानी एनआरसी लागू करने के बयान का कांग्रेस पार्टी पुरजोर विरोध कर रही है। उत्तराखंड के परिवारों को भाजपा घुसपैठिया साबित करने पर तुली है। कुछ लोग जबरदस्ती एनआरसी प्रदेश पर लादना चाहते हैं। सरकार पहले लोगों को घुसपैठिया सिद्ध कर देगी। इसके बाद नागरिकता देकर राजनीति करने की मंशा है। (जास)

माइकल डेवाइस पाक क लिए एक आएम, उसके आधारे पर आगे कर्टम
जमीन छियरो, विकासनगर में भी बढ़ाए जायंगे।



एसजेवीएन लिमिटेड
(भारत सरकार एवं हिमाचल प्रदेश सरकार का संयुक्त उपक्रम)
SJVN LIMITED
(A Joint Venture of Govt. of India & Govt. of HP)
(A 'Mini Ratna', 'Schedule-A' & ISO 9001 : 2008 Company)

सार्वजनिक सूचना

सर्वसाधारण को एतत् द्वारा सूचित किया जाता है कि एसजेवीएन लिमिटेड द्वारा उत्तराखण्ड के जनपद उत्तरकाशी में देवता रेंज, नासला कक्ष संख्या 1, 2 एवं 3 में खनन एवं घुगान हेतु राज्य स्तर पर्यावरण समाधान निर्धारण प्राधिकरण, देहरादून द्वारा नेटवर्क मोरी जल विद्युत परियोजना (60 मेगावाट) के निर्माण के लिए पर्यावरण स्वीकृति प्रदान कर दी गई है। पर्यावरण स्वीकृति की प्रति क्षेत्रीय कार्यालय पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार, देहरादून, टीएस वन प्रभाग पुर्वोत्तर एवं सदस्य सचिव, उत्तराखण्ड पर्यावरण संरक्षण एवं प्रदूषण नियंत्रण बोर्ड, देहरादून के पास उपलब्ध है तथा इसे एसजेवीएन की वेबसाइट <http://www.sjvn.nic.in> पर भी देखा जा सकता है।

स्वयं व राष्ट्र के हित में ऊर्जा बचाए

SILVERCITY

www.Paytm.com/movies
www.Bookmyshow.com
Tele Booking: 9045051173/74 10:AM to 10:PM



LAAL KAPTAAN >	12:45PM, 4:30PM, 7:00PM, 10:30PM
MALEFICENT MISTRESS OF EVIL (3D) HINDI >	10:00AM
MALEFICENT MISTRESS OF EVIL (3D) ENGLISH >	12:30PM, 5:30PM, 10:30PM
JOKER (ENGLISH) >	3:00PM, 8:00PM
WAR >	10:00AM, 1:00PM, 4:00PM, 9:45PM
GHOST >	10:15AM, 3:40PM, 8:15PM
P SE PYAAR F SE FARAAR >	11:00AM
#YAARAM >	6:00PM
DREAM GIRL >	7:15PM
THE SKY IS PINK >	1:30PM, 9:45PM

पुण्य स्मरण

स्वर्गीय श्रीमति संतोष गाबा

25.12.1943 - 22.10.2018

प्रथम पुण्यतिथि पर शत्-शत् नमन

जीवन मिलना भाग्य की बात है, मृत्यु होना समय की बात है। पर मृत्यु के बाद भी लोगों के दिलों में जीवित रहना ये कर्मों की बात है।

शोकाकुल Sh H.L Gaba (पति)

एवं परिवार के सदस्यगण
3, E.C. Road, Dehradun

Yashraj Legera (Dehradun)
22/10/2019

व्यावधान में आयोजित किया जा रहा है।

इस कार्यक्रम के मुख्य अतिथि कुलपति डा.तेज रताप, होंगे। जानकारी देते हुए एशियन एग्री हिस्ट्री फाउंडेशन के अध्यक्ष, डा. एसपीएस बेनोवाल ने बताया कि कार्यक्रम में एएचएफ के ट्रस्टीस् डा.एमसी सक्सेना, डा.एसएल चौधरी व डा.गजेन्द्र सिंह समेत निदेशक कृषि, निदेशक बागवानी मिशन एवं चाय बोर्ड सहित समस्त जिलों के मुख्य कृषि अधिकारी, जिला उद्यान अधिकारी, चाय बोर्ड के अधिकारी, कृषि विज्ञान केन्द्रों के समन्वयक एवं विष्वविद्यालय के शिक्षक व अधिकारियों द्वारा प्रतिभागिता की जाएगी।

जिक विज्ञान का प्रशिक्षण दिया

ट) समग्र शिक्षा अभियान के तहत माध्यमिक स्तर के शिक्षण में जिले के 11 ब्लॉकों से चयनित शिक्षक हिस्सा : प्राचार्य डा.राजेंद्र सिंह ने कहा बच्चों को गुणवत्तापूर्वक छी तरह करें, जिससे की बच्चों को गुणवत्तापूर्वक शिक्षक भुवन चंद्र पांडेय ने कहा प्रशिक्षण एनसीईआरटी और शिक्षण में मास्टर ट्रेनर की ओर से शिक्षकों को मिशन न महोत्सव, सड़क एवं स्कूल सुरक्षा आदि को आसान न विकसित होने के साथ तकनीकी शिक्षा को भी बढ़ावा : का प्रशिक्षण भी अतिरिक्त दिया जाएगा। हिंदी प्रशिक्षण मनोज बिष्ट, एचएस, सामाजिक विज्ञान विषय में गोविंद

स को मिले अहम हता है खुलासा

ने है। सूत्रों से मिली जानकारी के अनुसार अगले एक दो में पुलिस के किसी बड़े अधिकारी के द्वारा इस कांड का खुलासा किया जा सकता है।

देहरादून से आयी एसटीएफ टीम ने सोमवार को ताल क्षेत्र में घटनास्थल पर जाकर आसपास लगे टीवी कैमरों की एक बार फिर जांच पड़ताल की। टीएफ की टीम में उपनिरीक्षक पंकज बेलवाल, राजेन्द्र रा, विरेन्द्र चौहान, महेन्द्र गिरि शामिल रहे। एसटीएफ क्टर एमपी सिंह ने बताया कि ऐसा प्रतीत नहीं होता कि के लिए सेल्स गर्ल्स की हत्या की गई। उन्होंने बताया पिकी रावत की हत्या सुनियोजित ढंग से निर्ममतापूर्वक गई है। घटना का जल्द ही खुलासा हो सकेगा। पुलिस पहलुओं पर जांच कर रही है।

इस दौरान अपर पुलिस अधीक्षक डा. जगदीश चंद्र, प्रो मनोज कुमार ठाकुर, कोतवाल चन्द्र मोहन सिंह, ईटीआई थानाध्यक्ष कुलदोष सिंह अधिकारी भी मौजूद। हालांकि अभी पुलिस ने घटना के खुलासे को लेकर नी ओर से कुछ नहीं कहा है। सूत्र बताते हैं कि पुलिस इस हत्याकांड के सिलसिले में महत्वपूर्ण जानकारी चुकी है, उधर पूरे नगर में पिकी हत्याकांड के खुलासे लेकर उत्सुकता बनी हुई है।

राष्ट्रीय सहरा 22-10-2019



एसजेवीएन लिमिटेड
(भारत सरकार एवं हिमाचल प्रदेश सरकार का संयुक्त उपक्रम)
SJVN LIMITED
(A Joint Venture of Govt. of India & Govt. of HP)
(A 'Mini Ratna', 'Schedule-A' & ISO 9001 : 2008 Company)

सार्वजनिक सूचना

सर्वसाधारण को एतत् द्वारा सूचित किया जाता है कि एसजेवीएन लिमिटेड द्वारा उत्तराखण्ड के जलपद उत्तरकारी में देवता रेज, भासला कड संख्या 1, 2 एवं 3 में सनन एवं घुमान हेतु राज्य स्तर पर्यावरण समाघात निर्धारण प्राधिकरण, देहरादून द्वारा नेटवर्क नोरी जल विद्युत परियोजना (60 मेगावाट) के निर्माण के लिए पर्यावरण स्वीकृति प्रदान कर दी गई है। पर्यावरण स्वीकृति की प्रति क्षेत्रीय कार्यालय पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, भारत सरकार, देहरादून, टीस वन प्रभाग पुरोला एच सदस्य सचिव, उत्तराखण्ड पर्यावरण संरक्षण एवं प्रदूषण नियंत्रण बोर्ड, देहरादून को पास उपलब्ध है तथा इसे एसजेवीएन की वेबसाइट <http://www.sjvn.nic.in> पर भी देखा जा सकता है।

स्वयं व राष्ट्र के हित में ऊर्जा बचाएँ



कार्यालय प्रभागीय विक्रय प्रबंधक
उत्तराखण्ड वन विकास निगम
विक्रय प्रभाग देहरादून

चन्द्रवनी, देहरादून, email id : dnmdehiraadun@gmail.com

भौतिक सत्पापन हेतु बिजो बन्दी सूचना

विक्रय प्रभाग देहरादून के अन्तर्गत प्रकाश विक्रय बिजो में उपलब्ध प्रकाश, जलौगी, जयौ-बूटी आदि के वार्षिक भौतिक सत्पापन 2019 हेतु निम्न प्रकार विक्रय एवं निकाली हेतु बिजो बन्द रहेंगे।

बिजो	भौतिक सत्पापन तिथि	बिजो बन्द की अवधि
चन्द्रवनी	24.10.2019	22.10.19 से 25.10.19
जौबीवाला	24.10.2019	22.10.19 से 25.10.19
रायवाला / छिदवावाला	25.10.2019	23.10.19 से 26.10.19
सेताकुई	23.10.2019	21.10.19 से 24.10.19
हरवटीपुर	25.10.2019	23.10.19 से 26.10.19

उपरोक्तानुसार बिजो बन्दी अवधि में प्रकाश आदि के मुगलान एवं निकाली हेतु शुभकाल घोषित किया जाता है।
प्रभागीय विक्रय प्रबंधक, देहरादून



उत्तराखण्ड पावर कारपोरेशन लिमिटेड

विद्युत परीक्षण स्थल, हरिद्वार (CIN: U31109UP200156GZBK672354)

निविदा सूचना

अधोहस्ताक्षरी द्वारा ओ। एण्ड एम मद में निम्नलिखित आपूर्ति हेतु आयकर जी।ए।एस।टी. में पंजीकृत, आई।एस।ओ प्रमाणित आपूर्तिकर्ताओं (सागरी के मूल निर्माताओं या अधिकृत विक्रेताओं) जो कि सम्बन्धित सामग्री को वर्तमान में संतोषजनक आपूर्ति करने का अनुभव रखते हो से मोहर बन्द निविदाओं जिनकी दरें 3 माह के लिए वैध होंगी दो भागों में (प्रथम भाग में धरोहर राशि, नियम एवं शर्तों एवं द्वितीय भाग में दरें होंगी) दिनांक 07.11.2019 को अपराह्न 14.00 बजे तक आमंत्रित की जायेगी, जो उसी दिन सां. 15.00 बजे अधोहस्ताक्षरी या अधिकृत प्रतिनिधि द्वारा उपस्थित निविदादाताओं के सम्म खोली जायेगी। निविदा खुलने की तिथि को अवकाश होने की स्थिति में निविदाएं अगले कार्य दिवस में खोली जाएगी। निविदा प्रपत्र निविदा शुल्क ₹0 250,000+12% (जी।ए।एस।टी.) सहित प्रति निविदा की दर से बैंक ड्रफ्ट जो अधोहस्ताक्षरी के पत्र में देय हो, का मुगलान करके, इस कार्यालय से किसी भी कार्य दिवस में दिनांक 06.11.2019 तक प्राप्त की जा सकती है।

निविदा संख्या 04/2019-20 - ओ एण्ड एम मद में विभिन्न रेश्यों की एल।टी।टी। सी।टी।टी। क्रय करने हेतु। धरोहर राशि ₹0 20000.00।

निविदा संख्या 05/2019-20 - ओ एण्ड एम मद में विभिन्न रेश्यों की 33 के।टी।टी। सी।टी।टी। क्रय करने हेतु। धरोहर राशि ₹0 20000.00।

निविदा संख्या 06/2019-20 - ओ एण्ड एम मद में विभिन्न रेश्यों की 11 के।टी।टी। सी।टी।टी। क्रय करने हेतु। धरोहर राशि ₹0 19000.00।

प्रत्येक निविदा हेतु उपरोक्त धरोहर राशि किसी भी राष्ट्रीयकृत बैंक की सी।टी।टी।आर।/एफ।टी।टी।आर। के रूप में अधोहस्ताक्षरकर्ता के पत्र में कब्ज होनी चाहिए।

अधोहस्ताक्षरकर्ता को बिना कोई कारण बताए या नोटिस दिये निविदाओं को स्वीकार या अस्वीकार करने का अधिकार सुरक्षित होगा।

पत्रांक: 834/वि।पी।टी।टी।/ए।टी।टी। दिनांक 21.10.2019 अधिरासी अभियन्ता

"राष्ट्र हित में बिजली बचायें" टोल फ्री नं० 1800-419-0405

प्रेषक,

निदेशक,
भूतत्व एवं खनिकर्म इकाई,
उद्योग निदेशालय उत्तराखण्ड,
देहरादून।

सेवा में,

उप महाप्रबन्धक,
सतलुज जल विद्युत निगम लि०,
मोरी, जिला उत्तरकाशी।

दिनांक 23 फरवरी 2019

संख्या: 473 /उखण्ड/मा०प्लान/उत्त०/2018-19

विषय:- जनपद उत्तरकाशी, तहसील मोरी के अन्तर्गत आरक्षित वन क्षेत्रान्तर्गत देवता रेंज भासला कक्ष सं० 1, 2, एवं 3 कुल रकवा 3.50 है० (1.00 लाख घनमीटर) (सीमांकित क्षेत्र 1.7550 है०) वन भूमि में 05 वर्ष की अवधि हेतु शासनादेश संख्या 1928/VII-1/2018/ 43-ख/17 दिनांक 22.02.2018 के द्वारा स्वीकृत खनन पट्टा क्षेत्र से सम्बन्धित खनन योजना के अनुमोदन के सम्बन्ध में।

महोदय,

आपके द्वारा जनपद उत्तरकाशी, तहसील मोरी के अन्तर्गत आरक्षित वन क्षेत्रान्तर्गत देवता रेंज भासला कक्ष सं० 1, 2, एवं 3 कुल रकवा 3.50 है० (1.00 लाख घनमीटर) (सीमांकित क्षेत्र 1.7550 है०) वन भूमि जिसमें शासनादेश संख्या 1928/VII-1/2018/43-ख/17 दिनांक 22.02.2018 के द्वारा उप महाप्रबन्धक, सतलुज जल विद्युत निगम लि०, तहसील मोरी, जिला उत्तरकाशी के पक्ष में उपखनिज बालू/बजरी/बोल्डर का 05 वर्ष की अवधि हेतु खनन पट्टा स्वीकृत किया गया है, से सम्बन्धित प्रस्तुत खनन योजना जो श्री हरीश कैंथोला आर०क्यू०पी०/DDN/141/2002-A के द्वारा तैयार की गयी है, को वैज्ञानिक, तकनीकी एवं पर्यावरण सुरक्षा के दृष्टिकोण से खनन संक्रियाओं के सुनियोजित संचालन हेतु उपयुक्त पाये जाने के दृष्टिगत उत्तराखण्ड उपखनिज परिहार नियमावली-2001 के नियम-34 एवं उत्तराखण्ड उपखनिज (बालू, बजरी, बोल्डर) चुगान नीति, 2016 बिन्दु-22 (2) के अन्तर्गत प्रदत्त अधिकार का प्रयोग करते हुए, प्रस्तुत खनन योजना का अनुमोदन निम्नलिखित शर्तों के अधीन किया जाता है:-

शर्तें

1. खनन योजना का अनुमोदन पट्टाविलेख के निष्पादन की तिथि से अवशेष अवधि पांच वर्षों की अवधि अथवा नेटवार-मोरी जल विद्युत परियोजना के निर्माण कार्य की अवधि तक, जो भी कम हो तक के लिए किया गया है।
2. पट्टाधारक द्वारा राज्य स्तरीय पर्यावरण प्रभाव निर्धारण प्राधिकरण उत्तराखण्ड के पर्यावरण अनुमति लेनी आवश्यक होगी तथा समस्त शर्तों का अनुपालन करेगा।
3. पट्टाधारक द्वारा शासनादेश संख्या 1928/VII-1/2018/43-ख/17 दिनांक 22.02.2018 एवं पट्टा विलेख की समस्त शर्तों का अनुपालन करेगा।
4. प्रस्तावित खनन क्षेत्र में खनन कार्य खनन योजना के अनुसार मैनुवल माइनिंग से, बिना ब्लास्टिंग के किया जायेगा। खनन योजना के अनुसार प्रथम वर्ष में आर०एल० 1030.5 मी० से आर०एल० 1033.00 मी० तक 57915.00 टन, द्वितीय वर्ष में आर०एल० 1030.5 मी० से आर०एल० 1033.00 मी० तक 57915.00 टन, तृतीय वर्ष में आर०एल० 1030.5 मी० से आर०एल० 1033.00 मी० तक 57915.00 टन, चतुर्थ वर्ष में आर०एल० 1030.5 मी० से आर०एल० 1033.00 मी० तक 57915.00 टन एवं पंचम वर्ष में आर०एल० 1030.5 मी० से आर०एल० 1033.00 मी० तक 57915.00 टन, उपखनिज का खनन किया जायेगा।
5. पट्टाधारक प्रस्तावित क्षेत्रान्तर्गत पड़ने वाली वन भूमि का 25 प्रतिशत भाग दोनों किनारों से छोड़ते हुए खनन कार्य करेगा।
6. मा० उच्च न्यायालय नैनीताल द्वारा पारित आदेश दिनांक 17.10.2016 के अनुपालन में स्वीकृत खनन क्षेत्र में पुल के 01 किलोमीटर अपस्ट्रीम एवं 01 किलोमीटर डाउनस्ट्रीम को छोड़कर खनन कार्य किया जायेगा।

7. पट्टाधारक द्वारा अनुमोदित खनन योजना का भू-सन्दिर्भित खनन पट्टा पलान्स अद्यारोपण उपरान्त भू-सन्दिर्भित वैक्टोराइज्ड खसरा प्लान हार्ड एवं सॉफ्ट कापी में भूतत्व एवं खनिकर्म इकाई के जिला कार्यालय एवं मुख्यालय देहरादून में एक माह के अन्तर्गत प्रस्तुत की जायेगी।
8. यह खनन योजना अन्य किसी अधिनियम जो कि इस खान या क्षेत्र पर लागू होते हैं या समय-समय पर राज्य सरकार या केन्द्र सरकार या अन्य किसी सक्षम द्वारा प्रख्यापित किये जाते हैं, को छोड़ कर अनुमोदित की जाती है।
9. यह खनन योजना वन (संरक्षण) अधिनियम-1980, वन संरक्षण नियमावली 1981 और अन्य सम्बन्धित अधिनियम और नियमावली, आदेश और दिशा निर्देश जो कि इस खनन पट्टे पर समय-समय पर दिये जाये लागू होंगे।
10. अनुमोदित खनन योजना किसी भी प्रभावी क्षेत्रान्तर्गत माननीय न्यायालय के आदेश एवं दिशा निर्देश के लागू होने को बाधित नहीं करती है।
11. अनुमोदित अवधि में किये गये खनन कार्य के निरीक्षण के उपरान्त यदि खनन योजना में संशोधन हेतु आदेश दिये जाते हैं तब संशोधित खनन योजना प्रस्तुत करने का पूर्ण उत्तरदायित्व आवेदक का होगा।
12. किसी भी स्तर पर यदि यह पाया जाता है कि दस्तावेज में दी गई, उपलब्ध कराई गई सूचनाएँ असत्य अथवा गलत ढंग से दर्शायी गई हैं, तो दस्तावेज का अनुमोदन तत्काल प्रभाव से निरस्त कर दिया जायेगा।
13. आबद्ध/नियोजित श्रमिकों को सुरक्षात्मक उपकरण प्रदान करने तथा सुरक्षित खनन कार्य करने हेतु सभी आवश्यक सावधानियाँ बरतने का दायित्व आवेदक का होगा।
14. अनुमोदित खनन योजना की एक-एक प्रमाणित प्रति सम्बन्धित जिलाधिकारी कार्यालय एवं निदेशालय के जनपदीय कार्यालय में अभिलेखार्थ यथाशीघ्र प्रस्तुत करने का दायित्व भी आवेदक का होगा।
15. अनुमोदित खनन योजना के अनुसार, आवेदक द्वारा खनन कार्य न किये जाने पर, आवेदक के विरुद्ध पट्टे की शर्त का उल्लंघन माना जायेगा और तदनुसार कार्यवाही की जायेगी।
16. खनन योजना इस शर्त के साथ अनुमोदित की जा रही है कि पट्टाधारक श्रमिकों की सुरक्षा एवं स्वास्थ्य की उचित व्यवस्था करेंगे।

संलग्नक:- खनन योजना की अनुमोदित प्रति।

भवदीय

(मेहरबान सिंह बिष्ट)
निदेशक 21/02/19

- संख्या: /उ०ख०/मा०प्लान/उत्त०/2018-19 तददिनांकित।
प्रतिलिपि:- निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।
1. जिलाधिकारी उत्तरकाशी।
 2. उपनिदेशक खनन, भूतत्व एवं खनिकर्म इकाई जनपद उत्तरकाशी।

(मेहरबान सिंह बिष्ट)
निदेशक



प्रदूषण नियन्त्रण अनुसंधान संस्थान
 भारत हेवी इलेक्ट्रिकल्स लिमिटेड, रानीपुर, हरिद्वार (उत्तराखण्ड)-249403
POLLUTION CONTROL RESEARCH INSTITUTE
 (A Govt. of India – UNDP / UNIDO Project)
 BHARAT HEAVY ELECTRICALS LIMITED
 RANIPUR, HARIDWAR (U.K.) - 249 403

(Approved Lab under Environment (Protection) Act, 1986; EIA Consultancy by NABET, QCI)

TEST REPORT

Lab Reference No.: TL220007 **Date :** 30.04.2022
Indentor SJVN, Uttarkashi.
Customer's Ref. No.: SJVN/NMHEP/LOA/Env./2021-22 dtd. 18.02.2021
Work Order No.: 20-0179-O-691
Sample Collected by: PCRI Staff **Collection Date:** 01.04.2022
Sample/Job: Water Sample from D/s to Devta Quarry (Khoonigad)

PARAMETER	UNIT	OBTAINED VALUE	Standard Limits*
Ammonical Nitrogen (as N)	mg/L	ND	-
Arsenic (as As)	mg/L	ND	0.20
BOD ₃ at 27°C	mg/L	1.1	100
Cadmium (as Cd)	mg/L	ND	-
Chromium Hexavalent (as Cr ⁺⁶)	mg/L	ND	-
Chromium Total (as Cr)	mg/L	ND	-
COD	mg/L	8	-
Copper (as Cu)	mg/L	ND	-
Colour	Hazen	<5	-
Cyanide (as CN)	mg/L	ND	0.20
Fluoride (as F)	mg/L	ND	-
Free Ammonia (as NH ₃)	mg/L	ND	-
Iron (as Fe)	mg/L	0.29	-
Lead (as Pb)	mg/L	ND	-
Manganese (as Mn)	mg/L	0.01	-
Mercury (as Hg)	mg/L	ND	-
Nickel (as Ni)	mg/L	ND	-
Nitrate (as NO ₃)	mg/L	0.21	-
Oil & Grease	mg/L	ND	10
Odour		Agreeable	-
pH	-	7.5	5.5-9.0

Avinash
30/04/22

Contd.2

अविनाश कुमार/Avinash Kumar
प्रबन्धक/Manager
Pollution Control Research Institute
प्रदूषण नियन्त्रण अनुसंधान संस्थान
BHEL, Ranipur, Haridwar

Remarks :- (1) This report refers only to the particular sample/job submitted for testing.
 (2) This report is not to be reproduced wholly or partly and can not be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.
 (3) Samples will be disposed off after one month from the date of issue of Test Certificate



प्रदूषण नियन्त्रण अनुसंधान संस्थान
भारत हेवी इलेक्ट्रिकल्स लिमिटेड, रानीपुर, हरिद्वार (उत्तराखण्ड) -249403
POLLUTION CONTROL RESEARCH INSTITUTE
(A Govt. of India – UNDP / UNIDO Project)
BHARAT HEAVY ELECTRICALS LIMITED
RANIPUR, HARIDWAR (U.K.) - 249 403

(Approved Lab under Environment (Protection) Act, 1986; EIA Consultancy by NABET, QCI)

TEST REPORT

-Page 2-

Lab Reference No:

TL220007

Date : 30.04.2022

PARAMETER	UNIT	OBTAINED VALUE	Standard Limits*
Phenols (as C ₆ H ₅ OH)	mg/L	ND	-
Phosphate Dissolves (as PO ₄)	mg/L	1.77	-
Selenium (as Se)	mg/L	ND	-
Sulphide (as S)	mg/L	ND	-
Temperature	°C	15.5	
Total Dissolved Solids	mg/L	196	-
Total Kjeldahl Nitrogen (as N)	mg/L	ND	-
Total Residual Chlorine	mg/L	ND	-
Total Suspended Solids	mg/L	10	200
Vanadium (as V)	mg/L	ND	-
Zinc (as Zn)	mg/L	0.01	

ND - Not Detectable

*(SCHEDULE VI OF EPA, 1993) FOR DISCHARGE ON LAND FOR IRRIGATION.

Avinash
30/4/22
(Avinash Kumar)
Manager (PCRI)
अविवेश कुमर/Avinash Kumar
प्रबन्धक/Manager
Pollution Control Research Institute
प्रदूषण नियन्त्रण अनुसंधान संस्थान
BHEL, Ranipur, Haridwar

- Remarks :- (1) This report refers only to the particular sample/job submitted for testing.
(2) This report is not to be reproduced wholly or partly and can not be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.
(3) Samples will be disposed off after one month from the date of issue of Test Certificate



प्रदूषण नियंत्रण अनुसंधान संस्थान
भारत हेवी इलेक्ट्रिकल्स लिमिटेड, रानीपुर, हरिद्वार (उत्तराखंड) -249403
POLLUTION CONTROL RESEARCH INSTITUTE
(A Govt. of India – UNDP / UNIDO Project)
BHARAT HEAVY ELECTRICALS LIMITED
RANIPUR, HARIDWAR (U.K.) - 249 403
(Approved Lab under Environment (Protection) Act, 1986; EIA Consultancy by NABET, QCI)

TEST REPORT
AMBIENT AIR MONITORING

Lab. Ref.: PCRI: Air & Noise: 2022-23 :046
Date: 26-04-2022

A. GENERAL INFORMATION:

1.	Name and address of Plant	:	M/s SJVN Limited, Naitwar-Mori Hydro Electric Project, Mori, District- Uttarkashi (Uttarakhand)
2.	Work Order No.	:	20-0179-0-691
3.	Date of sampling	:	30.03.2022 to 31.03.2022
4.	Location of Sampling	:	Near Devta Range Quarry (Khooni Gad)
5.	Method of Sampling	:	IS:5182 (Part-II-2001, Part-23-2006, Part-VI-2006) , FID, NDIR & Gas Detection System, IS-5182 (Part-9), AAS, PM2.5 Sampler
6.	Duration of Sampling	:	24 Hours
7.	Sample collection by	:	PCRI, BHEL, Ranipur, Haridwar-249403 (UK)

B. RESULTS OF AMBIENT AIR MONITORING:

Sl. No.	Parameter	Unit	Obtained Value	NAAQ Standards*
1.	Particulate Matter less than 10 µm or PM ₁₀	µg/m ³	61	100
2.	Particulate Matter less than 2.5 µm or PM _{2.5}	µg/m ³	31	60
3.	Sulphur Dioxide (SO ₂)	µg/m ³	BDL	80
4.	Nitrogen Dioxide (NO ₂)	µg/m ³	7	80
5.	Carbon Monoxide (CO)	mg/m ³	0.22	4
6.	Lead (Pb)	µg/m ³	BDL	1
7.	Ammonia (NH ₃)	µg/m ³	BDL	400
8.	Ozone (O ₃)	µg/m ³	53	180
9.	Benzene (C ₆ H ₆)	µg/m ³	BDL	5
10.	Benzo(a)pyrene (BaP)	ng/m ³	BDL	1
11.	Arsenic (As)	ng/m ³	BDL	6
12.	Nickel (Ni)	ng/m ³	BDL	20

BDL: Below Detectable Limit,

*: National Ambient Air Quality Standards as per CPCB Notification N. Delhi, the 18 Nov. 2009 for Industrial, Residential and Rural Areas

Prepared by

(Ankur Mohan)
Engineer (PCRI)

Approved by

(Shailendra Kumar)
DGM (PCRI)

Remarks :- (1) This report refers only to the particular sample/job submitted for testing.

(2) This report is not to be reproduced wholly or partly and can not be used as an evidence in any court of law, and should not be used in any advertising media without our special permission in writing.

(3) Samples will be disposed off after one month from the date of issue of Test Certificate.

शैलेन्द्र कुमार/Shailendra Kumar
अप. प्रमुख/Gen. Manager
Pollution Control Research Institute
प्रदूषण नियंत्रण अनुसंधान संस्थान
BHEL, Ranipur, Haridwar



प्रदूषण नियंत्रण अनुसंधान संस्थान
भारत हेवी इलेक्ट्रिकल्स लिमिटेड, रानीपुर, हरिद्वार (उत्तराखंड) - 249403
POLLUTION CONTROL RESEARCH INSTITUTE
(A Govt. of India – UNDP / UNIDO Project)
BHARAT HEAVY ELECTRICALS LIMITED
RANIPUR, HARIDWAR (U.K.) - 249 403
(Approved Lab under Environment (Protection) Act, 1986; EIA Consultancy by NABET, QCI)

TEST REPORT
AMBIENT NOISE MONITORING

Lab. Ref.: PCRI: Air & Noise: 2022-23 :047-051
Date: 26.04.2022

A. GENERAL INFORMATION:

1	Name and address of Plant	:	M/s SJVN Limited, Naitwar-Mori Hydro Electric Project, Mori, District- Uttarkashi, Uttarakhand
2	Work Order No.	:	20-0179-O-691
3	Date of sampling	:	29.03.2022 & 30.03.2022
4	Instrument used	:	Sound Level Meter
5	Measurement carried out by	:	PCRI, BHEL, Ranipur, Haridwar-249403 (UK)

B. RESULTS OF NOISE MEASUREMENT:

All measurement in dB (A)

Sl. No.	Location	Measured Values	Allowable Limit (Day Time) * Leq.
1.	Barrage Site Office	72	75 dB (A)
2.	Near Stone Crusher	63	
3.	Near Bainol Village	62	
4.	Near Sandra Range Quarry	73	
5.	Near Devta Range Quarry	61	

Leq. : Equivalent Sound Pressure Level

*Allowable Noise Limit: Ambient Air Quality Standards in respect of Noise: Environmental (Protection) Rule, 1986-Schedule-III for Industrial Area

Prepared by

(Ankur Mohan)
Engineer (PCRI)

Approved by

(Shailendra Kumar)
DGM (PCRI)
शैलेन्द्र कुमार/Shailendra Kumar
उप. महाप्रबन्धक/Dy. General Manager
Pollution Control Research Institute
प्रदूषण नियंत्रण अनुसंधान संस्थान
BHEL, Ranipur, Haridwar

- Remarks :- (1) This report refers only to the particular sample/job submitted for testing.
(2) This report is not to be reproduced wholly or partly and can not be used as an evidence in the court of law and should not be used in any advertising media without our special permission in writing.
(3) Samples will be disposed off after one month from the date of issue of Test Certificate

कार्यालय प्रभागीय वनाधिकारी, टॉस वन प्रभाग, पुरोला (उत्तरकाशी)

Email- dfo_tons@yahoo.co.in Fax:- 01373- 223328

पत्रांक 2307 / 3-2 दिनांक, पुरोला, उत्तरकाशी 29/4/ 2021

सेवामें,

महाप्रबन्धक, (परियोजना प्रमुख)
नैटवाड-मोरी जल विद्युत परियोजना,
मोरी।

विषय-

नैटवाड-मोरी जल विद्युत परियोजना के अन्तर्गत विभिन्न कार्यों हेतु अवमुक्त धनराशि के सापेक्ष व्यय की प्रगति।

महोदय,

इस वन प्रभाग को नैटवाड-मोरी जल विद्युत परियोजना के अन्तर्गत विभिन्न कार्यों हेतु अवमुक्त धनराशि के सापेक्ष माह मार्च 2021 तक व्यय का विवरण निम्न प्रकार है।

क्र० सं०	कार्य का विवरण	माह मार्च 2021 तक कुल अवमुक्त धनराशि (लाख में)	माह मार्च 2021 तक कुल व्यय धनराशि (लाख में)	अभ्युक्ति
1	क्षतिपूरक वृक्षारोपण (80.00 हे०)	67.74	67.74	अधिम मुदा कार्य, वृक्षारोपण कार्य तथा वर्ष 2020-21 में प्रथम वर्ष अनुरक्षण कार्य किया गया है।
2	कैंट प्लान (डी०पी०आर० में प्रस्तावित कार्य)	140.68	140.68	वर्ष 2019-20 व वर्ष 2020-21 में अवमुक्त धनराशि के सापेक्ष व्यय की जा चुकी है।
3	जैव विविधता (औषधीय पौधों का रोपण तथा विभिन्न जैव विविधता सम्बन्धी कार्य प्राक्कलनानुसार)	43.00	22.38	अवशेष धनराशि का नियमानुसार व्यय किया जायेगा
4	देवता रेंज के अन्तर्गत खनन क्षेत्र के आस-पास वृक्षारोपण 2000 पौध रोपित की गयी	1.89800	1.89800	सम्पूर्ण व्यय की जा चुकी है।

भवदीय

(सुबोध कुमार काला)
प्रभागीय वनाधिकारी,
टॉस वन प्रभाग, पुरोला।



मुख्यालय
उत्तराखण्ड पर्यावरण संरक्षण एवं प्रदूषण नियंत्रण बोर्ड
“गौरा देवी पर्यावरण भवन”
46बी, आई0टी0 पार्क, सहस्त्रधारा रोड, देहरादून

पत्रांक-यूईपीसीबी/एचओ/एनओसी-7284/2019/1463

दिनांक 14-2019 5.12.2019

Registered/AD

सेवा में,

M/s SJVN Ltd.,
Shakti Sadan, Corporate Head Quarters,
Shanan, Shimla, Mori,
Distt- Uttarkashi.

विषय :- पर्यावरणीय प्रदूषण की दृष्टि से उपखनिज के चुगान कार्य हेतु स्थापनार्थ सहमति पत्र (Consent to Establish) निर्गमन।

महोदय,

कृपया उपरोक्त विषयक आपके आवेदन पत्र दिनांक-04.11.2019 (Application no-168184) एवं तत्सम्बन्धी क्षेत्रीय कार्यालय की निरीक्षण आख्या एवं संस्तुति का बोर्ड मुख्यालय में परीक्षण किया गया एवं परीक्षणोपरान्त लिए गए निर्णय के क्रम में विषयगत स्थल पर चुगान/खनन को पर्यावरणीय प्रदूषण के दृष्टिकोण से निम्नलिखित विशिष्ट शर्तों एवं सामान्य शर्तों के समुचित अनुपालन की शर्त के साथ सशर्त स्थापनार्थ हेतु सहमति पत्र (Consent to Establish) निर्गत किया जाता है।

1- यह स्थापनार्थ सहमति पत्र निम्नलिखित विशिष्ट विवरणों के लिए ही निर्गत किया जा रहा है :-

(क) स्थल/खनन क्षेत्र :	Shakti Sadan, Corporate Head Quarters, Shanan, Shimla, Mori, Distt- Uttarkashi.
(ख) खनन/चुगान :	Picking of Aggregate Sand – 600 MT/day
(ग) मुख्य कच्चे माल :	River Bed Material
(घ) औद्योगिक उत्प्रवाह :	Nil.
(ङ) प्रयुक्त ईंधन :	Nil.

उपर्युक्त विषय वस्तु में किसी भी प्रकार से परिवर्तन करने पर पुनः स्थापना हेतु सहमति पत्र प्राप्त करना आवश्यक होगा।

- चुगान/खनन क्षेत्र में सभी आवश्यक यन्त्र, संयंत्र, हरित पट्टिका, उत्प्रवाह शुद्धिकरण संयंत्र तथा वायु प्रदूषण नियन्त्रण की व्यवस्था की स्थापना में की गई प्रगति रिपोर्ट इस कार्यालय में प्रत्येक माह की दसवीं तारीख तक निरन्तर प्रेषित करें।
- चुगान/खनन क्षेत्र में परीक्षण संचालन तब तक प्रारम्भ नहीं करें, जब तक कि वह बोर्ड से जल अधिनियम एवं वायु अधिनियम के अन्तर्गत सहमति (CTO) प्राप्त न कर ले। जल सहमति एवं वायु सहमति (CTO) प्राप्त करने हेतु इकाई में संचालन प्रारम्भ करने की तिथि से कम से कम 2 माह पूर्व निर्धारित सहमति आवेदन पत्रों को उत्पादन पूर्व प्रथम आवेदन का उल्लेख करते हुए इस कार्यालय में अवश्य जमा कर दिया जाये। यदि उद्योग उपरोक्त का अनुपालन नहीं करता है तो उक्त अधिनियमों के वैधानिक प्राविधानों के अन्तर्गत उद्योग के विरुद्ध बिना किसी पूर्व सूचना के विधिक कार्यवाही की जा सकती है।
- चुगान/खनन क्षेत्र में परीक्षण संचालन से पूर्व क्षेत्रीय कार्यालय द्वारा इकाई का निरीक्षण सुनिश्चित कराया जाये।
- जनित घरेलू उत्प्रवाह को सेप्टिक टैंक के माध्यम से सोकपिट में निस्तारित किया जाये।
- यह स्थापना हेतु सहमति पत्र केवल घरेलू उत्प्रवाह के लिये मान्य है।
- इकाई प्रतिवर्ष माह सितम्बर तक पर्यावरणीय वक्तव्य प्रस्तुत करना सुनिश्चित करें।
- यह स्थापना हेतु सहमति पत्र जारी होने की तिथि से 05 वर्ष तक की अवधि के लिए वैध होगा।
- चुगान/खनन क्षेत्र का संचालन इस प्रकार से किया जाये, कि परिवेशीय वायु गुणवत्ता सदैव बोर्ड मानकों के अनुरूप रहे।

- 10- घुगान/खनन क्षेत्र से जनित खेस अपशिष्ट पदार्थों को इस प्रकार निस्तारित किया जाये, कि जल, वायु तथा मृदा प्रदूषण की सम्भावना न रहे।
- 11- घुगान/खनन कार्य का संचालन इस प्रकार किया जाये, कि प्रदूषण सम्बन्धी शिकायतें प्राप्त न हों। प्रदूषण सम्बन्धी जन-शिकायतें प्राप्त होने एवं पुष्टि होने पर स्थापना हेतु सहमति पत्र रिवोक कर दी जायेगी। जिसका सम्पूर्ण उत्तरदायित्व उद्यमी का होगा।
- 12- घुगान/खनन क्षेत्र परिसर में घारों तरफ कम से कम 3 कतारों वाली हरित पट्टिका विकसित की जाये। हरित पट्टिका हेतु सघन तथा छायादार वृक्षों का चयन किया जाये। हरित पट्टिका हेतु निर्धारित भूमि पर निर्माण कार्य न किया जाये।
- 13- घुगान/खनन क्षेत्र में परिसंकटमय अपशिष्ट (प्रबन्धन एवं ट्रांसबाउण्ड्री मूवमेन्ट) नियम 2016 का अनुपालन सुनिश्चित करें तथा उत्पादन से पूर्व परिसंकटमय अपशिष्ट के निस्तारण हेतु बोर्ड से प्राधिकार प्राप्त किया जाये।
- 14- घुगान/खनन क्षेत्र में सुरक्षा सम्बन्धी समस्त उपाय किये जायें तथा उत्पादन प्रारम्भ करने से पूर्व सक्षम विभागों से अनापत्ति प्रमाण पत्र प्राप्त किया जाये।
- 15- घुगान/खनन हेतु State Environment Impact Assessment Authority, (SEIAA), Uttarakhand द्वारा निर्गत पर्यावरणीय स्वीकृति सं०-47-01(73)/2019 दिनांक 26.09.2019 में वर्णित समस्त शर्तों का अनुपालन सुनिश्चित किया जाये।
- 16- घुगान/खनन क्षेत्र में बोर्ड की पूर्वानुमति के विना डी०जी० सेट आदि की स्थापना न की जाये।
- 17- विषयगत खनन स्थल पर खनन/घुगान कार्य सक्षम स्तर से अनुमोदित Mining Plan के अनुसार ही किया जाये तथा खनन/घुगान कार्य मात्र सूर्योदय से सूर्यास्त तक ही किया जाये।
- 18- इकाई घुगान/खनन कार्य इस प्रकार किया जाये कि जल एवं वायु प्रदूषण की समस्यायें उत्पन्न न हों। वायु प्रदूषण नियंत्रण हेतु धूल जनित बिन्दुओं पर आवश्यकतानुसार जल छिड़काव की व्यवस्थायें की जाये ताकि परिवेशीय वायु गुणवत्ता सदैव मानकों के अनुरूप रहे।
- 19- विषयगत स्थल पर खनन/घुगान कार्य मात्र Manually किया जाये।
- 20- खनन/घुगान कार्य इस प्रकार सुनिश्चित किया जाये कि खनन/घुगान से नदी/जल धारा का प्राकृतिक प्रवाह किसी भी दशा में बाधित न हों तथा समीपवर्ती जल स्रोतों की गुणवत्ता किसी भी दशा में प्रभावित न हों।
- 21- खनन/घुगान से प्राप्त रेता/बजरी/पत्थर के परिवहन हेतु आबद्ध वाहनों की नियमित जांच सुनिश्चित की जाये, ताकि परिवेशीय वायु गुणवत्ता सदैव मानकों के अनुरूप रहे।
- 22- विषयगत स्थल पर खनन/घुगान कार्य समाप्ति के दो पूर्व इकाई Mining Closure Plan की प्रतियां सभी सम्बन्धित विभागों को प्रेषित किया जाना सुनिश्चित करें, उक्त कार्य हेतु पूर्व से ही Corpus fund की व्यवस्था की जाये।
- 23- खनन/घुगान कार्य मात्र सक्षम स्तर से सीमांकित क्षेत्र के अन्तर्गत ही किया जाये।
- 24- खनन/घुगान हेतु समय-समय पर शासन/सक्षम स्तर से प्रेषित आदेशों/निर्देशों का अनुपालन सुनिश्चित किया जाये।
- 25- इकाई द्वारा केन्द्रीय प्रदूषण नियंत्रण बोर्ड के पत्र संख्या-CPCB/IPC-II/Direction-DM/SSP, Haridwar/2016/18473 दिनांक 22.03.2019 का अनुपालन सुनिश्चित किया जाये।

कृपया ध्यान दें कि उपर्युक्त लिखित विशिष्ट शर्तों एवं सामान्य शर्तों का प्रभावी एवं सन्तोषजनक अनुपालन न करने पर बोर्ड द्वारा निर्गत स्थापना हेतु सहमति (CoE) पत्र निरस्त कर दिया जायेगा। बोर्ड का अधिकार सुरक्षित है, कि स्थापना हेतु सहमति पत्र (Consent to Establish) की शर्तों में संशोधन किया जाये अथवा निरस्त कर दिया जाये।

उपर्युक्त विशिष्ट एवं सामान्य शर्तों के सम्बन्ध में खनन क्षेत्र द्वारा इस कार्यालय में दिनांक 29.12.2019 तक प्रथम अनुपालन आख्या अवश्य प्रेषित की जाये। अनुपालन आख्या नियमित प्रेषित की जाये, अन्यथा स्थापना हेतु सहमति पत्र निरस्त कर दिया जाएगा।

भवदीय

(एस०पी० सुबुद्धि)
सदस्य सचिव

पृ० सं० एवं दिनांक/उपरोक्तानुसार

प्रतिलिपि:- क्षेत्रीय अधिकारी (प्र०), उत्तराखण्ड पर्यावरण संरक्षण एवं प्रदूषण नियंत्रण बोर्ड, देहरादून को सूचना एवं उपरोक्त के अनुपालन हेतु प्रेषित।

मुख्य पर्यावरण अधिकारी



HEAD OFFICE
Uttarakhand Pollution Control Board
"Gaura Devi Paryayaran Bhawan"
46B, IT Park, Sahastradhara Road, Dehra Dun (Uttarakhand)
 Web : www.ukpcb.ik.gov.in, E-mail : ukpcb@yaho.com, Phone No.-2976157, 2976158, 2607092

UKPCB/HO/Con/S-564/2022/ 219

Date : 29/04.2022
REGD. POST

To,

M/s SJVN Ltd.,
 Naitwar Mori Hydro Electric Project,
 Khasra No.-1, 2 & 3,
 Devta Range Bhasla Compartment,
 Vill- Basala and Post- Mori,
 Distt- Uttarkashi.

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

CAF ID - 7780	Application no. -2033064
CCA (Renewal)	Date :- 15.01.2022

CCA is hereby granted to M/s SJVN Ltd located at Naitwar Mori Hydro Electric Project, Khasra No.-1, 2 & 3, Devta Range Bhasla Compartment, Vill- Basala and Post- Mori, Distt- Uttarkashi subject to the provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the orders that may be made further and subject to following terms and conditions :-

1. This CCA is granted for the period upto 31.03.2023 and valid for mining of following with Capital Investment/Net Assets Values ₹ 10.00 Laacs :-

S. No.	CTE or last CCA		Present CCA (Renewal)	
	Product	Quantity (Per day)	Product	Quantity (Per day)
1	Aggregate and Sand	257 MT	Aggregate and Sand	257 MT

2. Specific Conditions under Water Act :-

- (i) The daily quantity of effluent discharge (KLD) :-

	CTE or last CCA	Present CCA (Renewal)
Trade Effluent	Nil	Nil
Sewage	Nil	Nil

- (ii) Trade Effluent Treatment and Disposal :- Nil -
 (iii) Sewage Treatment and Disposal :- Nil -

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
Not Applicable						
Ambient air quality						
1	Particulate Matter (PM ₁₀)		Not to exceed		100mg/M ³ (24Hr. Average)	

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. **Conditions under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 :-**

- (i) The **Factory Manager** ofNA..... is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (ii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
Not Applicable			

- (iii) The authorization shall be in force for a period fromNA.....
- (iv) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under **Environment (Protection) Act, 1986.**

Terms and conditions of authorization:-

- (i) The authorization shall comply with the provisions of the **Environment (Protection) Act, 1986**, and the rules made there under.
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF&CC or CPCB/SPCB from time to time.

5. This CCA is valid of mining of Sand, Bajri and Boulders only.
6. **Compulsory documents to be submitted by the Industry/Unit :-**
 - (i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.
 - (ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - (iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will results in legal action under the aforesaid Acts and Rules.
10. Unit shall comply all the conditions mentioned in Environment Clearance no. 47-01(73) 219 dated 26.09.2019 issued by SEIAA.
11. Unit shall comply all the conditions mentioned in State Government permission letter no. 1473/UK/M/UTT/2018-19.


Member Secretary

Copy to :- **Regional Officer (I/c), Uttarakhand Pollution Control Board, Dehradun** for information and compliance of the same.


Environment Engineer

o/c

AWL

Specific Conditions:

1. The Occupier shall undertake mining in conformity with approved Mining Plan with the conditions and Rules prescribed in this regard, and instruction issued time to time.
2. The Occupier shall ensure that whatever deployment of labour attract the Mines Act, the provision thereof shall be strictly followed.
3. The Occupier shall ensure regular water sprinkling in critically prone to air pollution and having high levels of Particulate Matter (PM) such as loading and unloading points and all transfer points.
4. The Occupier shall undertake adequate safeguard measures during extraction of minor minerals and ensure that due to this activity the hydro-geological refine of surrounding area shall not be affected.
5. Vehicular emission shall be kept under Control and regularly monitored. The sand, bajri & boulders shall be carried out through the covered trucks only and vehicles carrying the sand/bajri/boulders shall not be overloaded.
6. Mining of sand, bajri & boulders only shall be carried out manually. No drilling/blasting etc shall be carried out.
7. Periodical medical examination of workers engaged in mining activity shall be carried out and records maintained.
8. The Occupier shall take all precautionary measures during mining operation for conservation & protection of endangered fauna & flora etc.
9. No change shall be made in mining technology and scope of mining work without prior approval of competent authority.
10. Mining shall be carried out in stipulated time and duration as permitted by competent authority.
11. The Occupier shall comply with the directions/instructions issued by the competent authority from time to time.
12. The Occupier shall strictly adhere to the conditions of Environment Clearance issued by the competent authority & provisions of approved mining plan, scrupulously.
13. The Occupier shall strictly adhere to the provisions of the Water Act, Air Act, Environment (Protection) Act, and Rules/Notifications made thereunder.
14. The Occupier(s) shall mark the mining area as per allotted mining lease by Competent Authority and mining shall be carried out only in approval mining area.
15. **The project proponent shall submit Replenishment study within six month to this office, as mentioned in Environment Clearance issued by SEIAA on dated 26.09.2019.**
16. **The project proponent shall appoint Monitoring Committee to monitor the replenishment study, traffic management, level of production, River Bank erosion and maintenance of Road etc. as mentioned in Environmental Clearance. Compliance in this regard shall be communicated to the Board offices within a month.**

General Conditions:-

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF&CC and shall report to the UKPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.
14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the Board to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.
20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
21. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
22. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
23. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
24. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
25. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous & Other Wastes Rules, 2016 shall be submitted to the Board.


Environment Engineer