

“SIX MONTHLY COMPLIANCE REPORT ON ENVIRONMENT CLEARANCE CONDITIONS”

Period of Compliance: 01.03.2023 to 30.09.2023

Name of Project	Dhulasidh Hydro Electric Project
Location	Hamirpur (HP)

Conditions imposed by the Ministry of Environment & Forests, GOI while granting Environment Clearance vide letter no. J-12011/15/2010-IA-I dated 21/02/2013

Sl. No.	Conditions of Environment Clearance	Status as on 30/09/2023
1	PART-A: SPECIFIC CONDITIONS	
i	The Catchment Area Treatment (CAT) Plan as proposed in the EMP report (Chapter-2 in EMP dated May, 2012) shall be strictly implemented in consultation with Himachal Pradesh State Forest Department. Major works shall be completed before impounding of reservoir. The financial allocation of Rs. 10.947 crores for CAT Plan implementation shall be fully utilized and not to be diverted for any other purpose. As per plan, the area of CAT is 114.74 sq. km.	<ul style="list-style-type: none"> ➤ The Revised CAT plan was approved on date 05/12/2018 for Rs. 19.77 Cr. ➤ Amount of Rs. 19.77 Crore had been deposited in Adhoc CAMPA on 09.10.2019 (copy enclosed as Annexure - A) Shall be ensured.
ii	The details of land holding of project affected persons whose land is being acquired shall be submitted to this Ministry including Regional Office. The R&R benefits for the land losing households will be as per the National Rehabilitation and Resettlement Policy, 2007 or as per the State Rehabilitation and Resettlement Policy, whichever is more beneficial to project affected persons (PAFs). Adequate publicity of the compensation package of NRRP 2007 shall be given in the affected villages. All R&R issues shall be completed before commissioning of the project.	All essential land required for project activities are under possession. However, non-essential land is being purchased. The R & R plan approved on dated 29.07.2020. The R&R plan shall be ensured as per State Govt. approval. Remaining condition shall be ensured in due time.
iii	A Monitoring Committee for R&R shall be constituted which must include representatives of project affected persons including from SC/ST category and a woman beneficiary.	Shall be ensured (Annexure-B)
iv	All the commitments made during the public hearing by the developer shall be fulfilled.	Condition is being complied
v	Dumping and consolidation/ compaction of muck shall be carried out only in the designated muck dumping sites as submitted in the EIA/EMP Report. As per the proposed muck disposal plan, out of the 0.882 Mm ³ muck to be generated 0.118 Mm ³ will be utilized for construction purpose and remaining 0.764 Mm ³ will be dumped at the 2 designated disposal sites in an allocated area of 4.30 ha.	Condition is being complied. 727740.55 m ³ has been generated. Out of which 79910 m ³ has been utilized and 647830.55 m ³ has been dumped in approved muck dumping site.
vi	A minimum environmental flow of 6.7 cumec i.e. equivalent to 20% of the minimum discharge available	The minimum environmental flow as specified shall be

	during 4 consecutive leanest months of the 90% dependable year shall have to be released as environmental flow for sustenance of aquatic life and downstream use. And also 6.7 cumec shall have to be maintained during November-May.	maintained during operation stage of the project.
vii	Continuous monitoring system for the flow measurement shall be installed and data be displaced at appropriate site for information of civil society and stake holders. Six monthly results shall be submitted to the Regional Office of the Ministry and SPCB.	Shall be maintained during operation stage of the project.
viii	Real-time telemetry and data acquisition system including all weather hydro meteorological station shall be installed for in-flow monitoring and advance flood warning. Advance flood warning and advance communication systems shall be installed in consultation with the downstream Authorities.	Flood Early Warning System has been installed.
ix	The fishery conservation & management plan as proposed in the EMP shall be implemented in consultation with the Fisheries Department, Government of Himachal Pradesh. As proposed, the stocking programme in the reservoir in about 15.76 ha and to stock the snow trout as well as 10 km upstream/ downstream of river shall be taken-up and implemented with the help of State Fisheries Department. Establishment of hatchery should also taken-up with the help of Forest Department. Allocated amount of Rs.50 lacs for this purpose shall be fully utilized and not to be diverted for any other purpose/activity.	The revised Fisheries Management plan amounting to Rs. 70 Lakh for Dhaulasidh HEP was submitted by the HP Fisheries Deptt. and the same amount has been deposited to HP Fisheries deptt, Bilaspur (Annexure-C)
x	As proposed in the EMP, the Compensatory Afforestation Programme in 115.4 ha shall be taken-up in consultation with State Forest Department. In addition to this NPV, Biodiversity Conservation and Management Plan and development of a herbal nursery near Sanotu village in an area of 0.50 ha shall be taken-up strictly. The allocated grant of Rs.5.589 crores for this purpose shall be fully utilized and not to be diverted for any other purpose. For compensatory Afforestation programme preference shall be given to native species.	As part of diversion of forest land, compensatory afforestation over 115.40 Ha of forest land had been proposed. An amount of Rs. 7.05 crore had been deposited to Forest department on dated 09.10.2019 (copy enclosed as Annexure - A) . Shall be ensured.
xi	The Biodiversity Conservation and Management Plan shall be taken-up as outlined in the EIA/EMP report and to be implemented in consultation with the State Forest Department. A report of implementation shall be included in the six-monthly progress and compliance report to be submitted to the Ministry including its Regional Office.	Shall be ensured.
xii	Greenbelt development along the reservoir as proposed in total 10 ha of land with 13 plant species shall be undertaken. Total budget of Rs.10 lacs has been allocated including restoration shall be fully utilized not to be diverted for any other purpose.	Shall be ensured

xiii	Equipments likely to generate high noise levels shall have to meet the ambient noise standards as notified under the Noise Pollution (Regulation and Control) Rules, 2000 and as amended in 2010 under the Environment Protection Act (EPA), 1986. For this, necessary insulators etc. may be installed to contain noise level.	Condition is being complied
xiv	Any other clearance from any other organization/department, if required shall be obtained by the project proponent before commencement of the project.	Shall be ensured.
2	PART-B: GENERAL CONDITIONS	
i	Adequate arrangement for providing free fuel like kerosene/wood/LPG shall be made at project site for the labour engaged in the construction work so that indiscriminate felling of trees is prevented. The project proponent shall ensure this.	To avoid indiscriminate felling of trees, canteen facility is being provided by the contractor to the labour force, engaged in construction activities of the project.
ii	Medical facilities as well as recreational facilities shall also be provided to the labourers.	First aid kits and a doctor are available at site.
iii	All the labourers to be engaged for construction works shall be thoroughly examined by health personnel and adequately treated before issuing them work permit.	Condition is being complied
iv	No fugitive dust emissions should be observed at the construction sites. Water sprinkling arrangements shall be made to suppress the fugitive emissions.	Water sprinkling is being undertaken at project site to suppress fugitive dust emission.
v	Potable drinking water and proper sanitation facilities should be provided for the labour force and the local area people.	Condition is being complied
vi	Restoration of construction area including dumping site of excavated materials shall be ensured by leveling, filling up of burrow pits, landscaping etc. The area should be properly treated with suitable plantation.	Restoration of construction area and dumping site shall be done after completion of the project components and in synchronization with construction activities.
vii	Environmental parameters shall be monitored regularly and six-monthly reports shall be submitted to the Regional Office of the Ministry and State Pollution Control Board for review.	Condition is being complied (Annexure-D).
viii	The project proponent shall also submit six monthly compliance reports of the stipulated EC conditions (both in hard copies as well as by e-mail) to the respective Regional Office of MOEF & CC / State Pollution Control Board. Both monitoring report and compliance report shall be up-loaded on the web-site of the project proponent.	Six monthly compliance reports are being submitted regularly to Corporate Env't. Deptt, last report submitted on 01.06.2023.
5	The project proponent shall provide full cooperation and all required documents, data and access to the officials of regional office of MOEF & CC who would be monitoring the implementation of environment safeguards	Shall be ensured.

6	The responsibility of implementation of environmental safeguards rests fully with the M/S SJVN Ltd and Government of Himachal Pradesh.	Noted
7	Besides the above stated conditions, the project proponent and Government of Himachal Pradesh shall also implement all other environmental safeguards, as proposed in the EIA/EMP report and other reports from time to time. The Government of Himachal Pradesh may also like to monitor implementation of EMP at regular intervals.	Agreed
8	The implementation of Environmental Management Plan shall be strictly adhered to and a sum of Rs.34.15 crores, the budgetary provisions for implementation of EMP shall be fully utilized and not to be diverted for any other purpose. The project proponent may critically monitor & review project to ensure completion of scheduled. Project management tools like PERT/CPM may be used to monitoring progress.	-do-
9	This clearance letter is valid for a period of 10 years from the date of issue of this letter for commencement of construction work of the project.	Noted
10	Any change in the scope of the project shall be intimated to the Ministry and fresh issue of this letter for commencement of construction work of the project.	Agreed
11	The Ministry reserves the right to review this clearance order and add additional safeguard measures subsequently, if found necessary and to take action including revoking of the clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time-bound and satisfactory manner.	Noted
12	A multi-disciplinary Committee (MDC) for monitoring the implementation of environmental safe guards during construction shall be constituted by the project proponent (PP) in consultation with the Ministry as early as possible. A panel may be proposed by the PP and submitted to Ministry. The project proponent shall organize six monthly meetings of the Committee and submit the monitoring report to the Ministry.	Multi-Disciplinary Committee (MDC) was formed by the MoEF&CC, GOI vide F.No. J-12011/15/2010-IA.I dated 28.12.2022 (Annexure-E) . 1 st MDC meeting was conducted at DSHEP, Hamirpur on dated 18.01.2023. Further, a letter on 22.08.2023 has been initiated to MoEF&CC, GOI, New Delhi for re-constitution of MDC (Annexure-F) as the Chairman of the current MDC i.e. CCF, Hamirpur got promotion and transferred and currently CF, Hamirpur is available.
13	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parishad/ Municipal Corporation, urban local body and the local	Needful done

	NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	
14	The project proponent shall advertise at least in two local newspapers widely circulated in the region around the project location, one of which shall be in the vernacular language of the locality concerned informing that the project has been accorded environmental clearance and copies of clearance letter are available with the State Pollution Control Board/ Committee and may also be seen at website of the Ministry of Environment and Forests at http://www.envior.nic.in .	The advertisement was published in local Punjab Kesari and Apka Faisla Newspapers on dated 16.11.2013 and 22.11.2013 respectively
15	After 5 years of the commissioning of the project, a study shall be undertaken regarding impact of the project on the environment and downstream ecology. The study shall be undertaken by an independent agency to be decided in consultation with the Ministry.	Shall be ensured.
16	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days from the date of issue, as prescribed under Section 10 of the National Green Tribunal Act, 2010.	Noted

3)	Conditions imposed by the Ministry of Environment, Forest and Climate Change, GOI while granting Amendment in Environment Clearance vide letter no. J-12011/15/2010-IA.I dated 19/05/2021	
Sl No.	Conditions Imposed	Compliance Status
i	Issues raised during public hearing and accordingly promised by PP should be implemented in stipulated time frame.	Shall be ensured
ii	Necessary control measures such as water sprinkling arrangements at all the construction and muck disposal sites and construction of paved roads leading to muck disposal sites shall be made to arrest fugitive dust and proper institutional mechanism be prepared for supervising this activity during operation & maintenance stage of the project.	Water sprinkling is being done at all construction sites to arrest the fugitive dust.
iii	Stabilization of muck disposal sites using biological and engineering measures shall be taken up to ensure that muck does not roll down the slopes and shall be disposed safely and that it does not pollute the natural streams and water bodies in surrounding area. The engineering measures for the muck disposal arrangements be evolved after carrying out required slope stability analysis.	Stabilization of dumping site shall be done after completion of construction activities
iv	Slope height of disposed muck should be maintained at 25 degrees for stabilization of muck.	Condition is being complied
v	Necessary consent shall be obtained from District Administration due to proposed change in private land use for dumping of muck	Shall be ensured



एसजेवीएन लिमिटेड
SJVN LIMITED

भारत सरकार एवं हिमाचल सरकार का संयुक्त उपक्रम
(A joint venture of Govt. of India and Govt. of HP)

धौलासिद्ध जल विद्युत परियोजना
Dhoola-Sidh Hydro Electric Project

हाउस नंबर-113 वार्ड नंबर-1 कृष्णा नगर, हमीरपुर (हि० प्र०)-177001
H.No.-113, Ward No.-1, Krishna Nagar, Hamirpur (HP) - 177001
CIN - L40101HP1988GOI008409

Tele: 01972 222635

Fax : 01972 222635

E-Mail: hqp.dshqp@gmail.com

Web : www.sjvn.nic.in

Annexure-A

NO: SJVN/DSHEP/DGM(C)/Forest/2019 - 77

Dated: 10.10.2019

To

DFO,
Forest Division, Hamirpur,
Himachal Pradesh.

Sub: Diversion of 57.7365 ha of Forest Land in favour of M/s SJVN (A joint Venture of Govt of India and Govt of HP) for the construction of 66.00 MW Dhaulasidh HEP, within the jurisdiction of Palampur, Hamirpur and Dehra forest divisions, Distt Kangra and Hamirpur, Himachal Pradesh - Deposit of Amount of NPV, CA, CAT Plan etc.

Sir,

With reference to your demand letter no.8290 dated 04/10/2019 the net total amount of Rs 308237538/- has been deposited on 09/10/2019 as per detail given below.

Sr. No.	Cost For	Hamirpur Division (Rs)	Dehra Division (Rs)	Palampur Division (Rs)	Total (Rs)	Remarks/ Mode of payment
1	Compensatory Afforestation including maintenance of Plantation Area	7321490	10507024	2578200	20436714	Amount deposited in Himachal Pradesh CAMPA account through e-challan
2	NPV	15944689	24825227	8315138	49085054	(PUNBR5201910091
3	Contingencies	366080	526851	128910	1021841	9596186)dated
4	CAT Plan				197708552	09/10/2019
	Total (A)	23632259	35889102	11022248	268252161	amounting to Rs 268252161/ only
4	Cost of trees	20017779	11942670	4448494	36408943	Through DD No. 355165, 355166 & 35516. dated
5	Departmental Charges	1281270	1843979	451185	3576434	09/10/19
	Total (B)	21299049	13786649	4899679	39985377	amounting to Rs21299049/-, Rs 4899679/- & 13786649/- in favor of DFO Hamirpur, Palampur & Dehra respectively
	Grand Total	44931308	49675751	15921927	308237538	



एसजेवीएन लिमिटेड
SJVN LIMITED

भारत सरकार एवं हिमाचल सरकार का संक्युत उपक्रम)
(A joint venture of Govt. of India and Govt. of HP)

धौलासिद्ध जल विद्युत परियोजना
Dhaura-Sidh Hydro Electric Project

हाउस नंबर-113 वाई नंबर-1 कृष्णा नगर, हमीरपुर (हि० प्र०)-177001
H.No.-113, Ward No.-1, Krishna Nagar, Hamirpur (HP) - 177001
CIN - L40101HP1988GOI008409

Tele: 01972-222635

Fax : 01972-223235


E-Mail: hop.dshep@gmail.com

Web : www.sjvn.nic.in

It is requested that the compliance report in respect of Dhaurasidh HEP may please be submitted to Nodal Officer FCA Shimla for further submission to MoEF&CC for Stage-II forest clearance.

Thanking you,

Yours faithfully,


Dy. General Manager (C)
DSHEP, Hamirpur

CC:

1. CF, Forest Circle, Hamirpur for information please
2. HOP, DSHEP, Hamirpur for kind information please

NO: SJVN/DSHEP/DGM(C)/Forest/2019 -

Dated:

①

Annexure -

②

No.DCH/DRA/DhauLasidh Project/2021- 30

From

The Deputy Commissioner,
District Hamirpur (H.P)

To

Head of Project
DhauLa Sidh Hydel Power Project,
Hamirpur, District Hamirpur (H.P)

Dated, Hamirpur 11th January, 2023


Subject: - Constitution of Rehabilitation & Resettlement Committee under Section 45 of the Right to Fair Compensation and Transparency in Land Acquisition, Rehabilitation & Resettlement Act, 2013.

Sir,



Kindly refer to the letter No. SJVN/DSHEP/HR/R&R/2022-1294 Dated 27/10/2022, received from O.P. Lakhnpal, Associate Consultant, DhauLasidh Hydro Electric Project, Hamirpur (HP), vide which it has been requested to constitute the R&R Committee under Section 45 of the Right to Fair Compensation and Transparency in Land Acquisition, Rehabilitation & Resettlement Act, 2013.

In view of the above, I have been directed to inform you that whereas you have directly purchased the land from land owners under Transfer of property Act 1894 and at that time you have not adopted the procedure under Right to fair Compensation Act 2013. Hence there is no need to constitute the R&R Committee now.

Yours Faithfully,


District Revenue Officer
District Hamirpur (H.P)



→ 
16/01/23
MYP/HR ✓

16/01/23

Annexure

Annexure - C

एसजेवीएन लिमिटेड
SJVN Limited

(A Joint Venture of Govt. of India & Govt. of Himachal Pradesh)
A 'Mini Ratna' & Schedule 'A' PSU
CIN: L40101HP1988GOI008409

धौलासिद्ध जल विद्युत परियोजना
Dhaulasidh Hydro Electric Project



No.: SJVN/DSHEP/04-01/H-28/2023- 1789

Date: 01.09.2023

To

Director-cum-Warden of Fisheries
District- Bilaspur
H.P.-174001

Subject: Deposition of amount for Fisheries Management Plan in respect of Dhaulasidh Hydro Electric Project (66MW) in Hamirpur District (HP).

Sir,

In reference to your office letter no. FSH-F (2)-39/2010-ARC-Dhaulasidh 2358 dated 08.06.2023 vide which Fisheries Management Plan amounting to Rs. 70 Lakh for mitigation of Fisheries losses due to construction of the Dhaulasidh H.E. Project in Hamirpur/Kangra district of H.P. was submitted.

In this context, it is intimated that desired amount of Rs. 70 Lakh has been deposited through RTGS with Director-cum-Warden of Fisheries, Bilaspur, H.P on dated 31.08.2023 having UTR No.: PUNBR52023083118482056.

Further, the notarized affidavit for the disposal of silt/muck and sustenance of aquatic fauna is also enclosed herewith.

This is for your kind information and further necessary action at your end please.

For & on behalf of SJVN Limited

4/9/23
Head of Project
Dhaulasidh H.E. Project
Hamirpur, H.P.

Sr. Mgr. (Geo)

कारपोरेट मुख्यालय: शक्ति सदन, शानान,
शिमला-171006 (हि.प्र.)
परियोजना कार्यालय:
धौलासिद्ध जल विद्युत परियोजना हमीरपुर,
सलासी, डाकघर जीहण, तहसील नादौन जिला हमीरपुर (हि.प्र.)-177044
दूरभाष: 01972-223237

Corporate H.O. : Shakti Sadan, Shanan,
Shimla-171006 (HP)
Project Office:
Dhaulasidh Hydro Electric Project Hamirpur
Salasi, P.O. Jeehan, Teh. Nadaun Distt. Hamirpur (H.P.)-177044
Tele: 01972-223237

अपने तथा राष्ट्र के हित में ऊर्जा की बचत करें।

SAVE ENERGY FOR BENEFIT OF SELF AND NATION

EST 2009



SISHODIA

Research Laboratories Pvt. Ltd.

CIN NO :- U73100UP2009PTC037657

Accredited by NABL as per ISO/IEC 17025 : 2017

Recognized by MoEFCC (Govt. of India) Under EPA 1986 I (Vide F. No. LB/99/7/2021-Sublab-HO-CPCB-HO/Pvt-322/92)



TEST REPORT

Format No-7.8F-01

URL/Report No TC-63942300000613F	Sample code SMPL/AAQ/613/2023	Report issue date 04/09/2023
-------------------------------------	----------------------------------	---------------------------------

SAMPLE DETAILS

1. Name and Address of Customer:	M/s. Rithwik Projects Pvt. Limited DSIHEP 66 MW Hydro Electric Project Dhaula Sidh Hamirpur Himachal Pradesh	
2. Sampling Location:	Tunnel Area	
3. Type of Sample:	Ambient Air	
4. Date of sampling: 30/08/2023-31/08/2023	Sampling Period:	24 hr
5. Sample collected by:	SRLPL Team	
6. Method of Sampling:	SRL/SOP/SP/08	
7. Packing condition:	Sealed	
8. Laboratory Sample Receiving date:	01/09/2023	
9. Period of Sample analysis:	01/09/2023-04/09/2023	
10. Sampling Machine Placed:	3 m above the ground level	

CLIMATE CONDITION

Wind direction	E-W
Avg. Humidity (%)	80
Avg. Ambient Temperature (°C)	22
Environmental condition	Ambient
Wind speed (km/hr)	8.9

AMBIENT AIR ANALYSIS RESULTS

S. No.	Parameter	Test Method	Result	Unit	Standards limits (CPCB)
1.	Respirable Particulate Matter (as PM 10)	IS 5182 (P- 23) 2006	83.7	µg/m ³	100
2.	Respirable Particulate Matter (as PM 2.5)	CPCB, Volume-1	41.6	µg/m ³	60
3.	Sulphur Dioxide (as SO ₂)	IS 5182 (Part 2)	18.4	µg/m ³	80
4.	Nitrogen Dioxides (as NO ₂)	IS 5182 (Part 6)	23.4	µg/m ³	80
5.	NH ₃	SRL/SOP/A/06 (CPCB Guidelines- Volume-1)	26.1	µg/m ³	100
6.	Ozone	IS 5182 (P-09)	22	µg/m ³	100

Page-1-2

END OF REPORT

(Reviewed By)

(Authorized Signatory)

- Note-1 This result listed refer only to tested sample and applicable parameter
 2 This certified is not to be reproduced wholly or in part promotional publicity or legal purpose without permission of authority of SRL PL
 3 The sample will be destroyed after 21 days from date of issue of test report unless otherwise specified
 4 Any discrepancy found in the report may be communicated within seven days

TEST REPORT

Format No-7.8F-01

Report No RPT/2300369	Sample code SMPL/AAQ/613/2023	Report issue date 04/09/2023
--------------------------	----------------------------------	---------------------------------

SAMPLE DETAILS

1. Name and Address of Customer:	M/s. Rithwik Projects Pvt. Limited DSHEP 66 MW Hydro Electric Project Dhaula Sidh Hamirpur Himachal Pradesh	
2. Sampling Location:	Tunnel Area	
3. Type of Sample:	Ambient Air	
4. Date of sampling: 30/08/2023-31/08/2023	Sampling Period:	24 hr
5. Sample collected by:	SRLPL Team	
6. Method of Sampling:	SRL/SOP/SP/08	
7. Packing condition:	Sealed	
8. Laboratory Sample Receiving date:	01/09/2023	
9. Period of Sample analysis:	01/09/2023-04/09/2023	
10. Sampling Machine Placed:	3 m above the ground level	

CLIMATE CONDITION

Wind direction	E-W
Avg. Humidity (%)	80
Avg. Ambient Temperature(°C)	22
Environmental condition	Ambient
Wind speed (km/hr)	8.9

AMBIENT AIR ANALYSIS RESULTS

S. No.	Parameter	Test Method	Result	Unit	Standards limits (CPCB)
1.	Carbon Monoxide (as CO)	IS 5182 (Part 10)	0.5]	mg/m	04
2.	Benzene	IS 5182 (Part 11)	BDL	µg/m	05
3.	Benzo-a-Pyrene (BaP) - Particulate phase	By GC	BDL	ng/m	01
4.	Arsenic	CPCB guideline Vol-I	BDL	ng/m	06
5.	Nickel	CPCB guideline Vol-I	0.15	ng/m	20
6.	Lead	CPCB guideline Vol-I	0.16	µg/m	1.0

BDL*Below Detection Limit

Page 3/3

END OF REPORT


(Reviewed By)


(Authorized Signatory)

- Note-1. This result listed refer only to tested sample and applicable parameter
 2. This certified is not to be reproduced wholly or parts promotional publicity or legal purpose without permission of authority of SRLPL.
 3. The sample will be destroyed after 21 days from date of issue of test report unless otherwise specified.
 4. Any discrepancy found in the report may be communicated within seven days.

EST 2009



IAS-IAF


 ISO 14001:2015
 ISO 45001:2018
 ISO 9001:2015

SISHODIA

Research Laboratories Pvt. Ltd.

CIN NO :- U73100UP2009PTC037857

Accredited by NABL as per: ISO/IEC 17025 : 2017

Recognized by MoEFDC (Govt. of India) Under EPA 1986 I (Wide F. No. LB/99/7/2021-Sublab-HO-GPCB-HO/Pvt-322/92)



TEST REPORT

Format No-7,8F-01

ULR/Report No TC-639423000000614F	Sample code SMPL/AAQ/614/2023	Report issue date 04/09/2023
--------------------------------------	----------------------------------	---------------------------------

SAMPLE DETAILS

1. Name and Address of Customer:	M/s. Rithwik Projects Pvt. Limited DSHEP 66 MW Hydro Electric Project Dhaula Sidh Hamirpur Himachal Pradesh	
2. Sampling Location:	Colony Area	
3. Type of Sample:	Ambient Air	
4. Date of sampling: 30/08/2023-31/08/2023	Sampling Period:	24 hr
5. Sample collected by:	SRLPL Team	
6. Method of Sampling:	SRL/SOP/SP/08	
7. Packing condition:	Sealed	
8. Laboratory Sample Receiving date:	01/09/2023	
9. Period of Sample analysis:	01/09/2023-04/09/2023	
10. Sampling Machine Placed:	3 m above the ground level	

CLIMATE CONDITION

Wind direction	E-W
Avg. Humidity (%)	80
Avg. Ambient Temperature(°C)	22
Environmental condition	Ambient
Wind speed (km/hr)	8.9

AMBIENT AIR ANALYSIS RESULTS

S. No.	Parameter	Test Method	Result	Unit	Standards limits (CPCB)
1.	Respirable Particulate Matter (as PM 10)	IS 5182 (P- 23) 2006	80.5	µg/m ³	100
2.	Respirable Particulate Matter (as PM 2.5)	CPCB, Volume-I	39.9	µg/m ³	60
3.	Sulphur Dioxide (as SO ₂)	IS 5182 (Part 2)	16.4	µg/m ³	80
4.	Nitrogen Dioxides (as NO ₂)	IS 5182 (Part 6)	20.9	µg/m ³	80
5.	NH ₃	SRL/SOP/A/06 (CPCB Guidelines- Volume-I)	23.7	µg/m ³	100
6.	Ozone	IS 5182 (P-09)	20.9	µg/m ³	100

Page 1/2

(Reviewed By)

(Authorized Signatory)

Note-1 This result listed refer only to tested sample and applicable parameter
 2 This certified is not to be reproduced wholly or part, promotional publicity or legal purpose without permission of authority of SRLPL
 3 The sample will be destroyed after 31 days from date of issue of test report unless otherwise specified
 4 Any discrepancy found in the report may be communicated within seven days

TEST REPORT

Format No-7.RF-01

Report No RPT/2300370	Sample code SMPL/AAQ/614/2023	Report issue date 04/09/2023
--------------------------	----------------------------------	---------------------------------

SAMPLE DETAILS

1. Name and Address of Customer:	M/s. Rithwik Projects Pvt. Limited DSHEP 66 MW Hydro Electric Project Dhaula Sidh Hamirpur Himachal Pradesh	
2. Sampling Location:	Colony Area	
3. Type of Sample:	Ambient Air	
4. Date of sampling: 30/08/2023-31/08/2023	Sampling Period:	24 hr
5. Sample collected by:	SRLPL Team	
6. Method of Sampling:	SRL/SOP/SP/08	
7. Packing condition:	Scaled	
8. Laboratory Sample Receiving date:	01/09/2023	
9. Period of Sample analysis:	01/09/2023-04/09/2023	
10. Sampling Machine Placed:	3 m above the ground level	

CLIMATE CONDITION

Wind direction	E-W
Avg. Humidity (%)	80
Avg. Ambient Temperature(°C)	22
Environmental condition	Ambient
Wind speed (km/hr)	8.9

AMBIENT AIR ANALYSIS RESULTS

S. No.	Parameter	Test Method	Result	Unit	Standards limits (CPCB)
1.	Carbon Monoxide (as CO)	IS 5182 (Part 10)	0.40	mg/m ³	04
2.	Benzene	IS 5182 (Part 11)	BDL	µg/m ³	05
3.	Benzo-a-Pyrene (BaP) - Particulate phase	By GC	BDL	ng/m ³	01
4.	Arsenic	CPCB guideline Vol-I	BDL	ng/m ³	06
5.	Nickel	CPCB guideline Vol-I	0.12	ng/m ³	20
6.	Lead	CPCB guideline Vol-I	0.13	µg/m ³	1.0

BDL*Below Detection Limit

Page:2/2

END OF REPORT


(Reviewed By)


(Authorized Signatory)

- Note-1. This result listed refer only to tested sample and applicable parameter.
 2. This certified is not to be reproduced wholly or parts promotional publicity or legal purpose without permission of authority of SRLPL.
 3. The sample will be destroyed after 21 days from date of issue of test report unless otherwise specified.
 4. Any discrepancy found in the report may be communicated within seven days.

EST 2009



SISHODIA

Research Laboratories Pvt. Ltd.

CIN NO :- U73100UP2009PTC0337857

Accredited by NABL as per ISO/IEC 17025 : 2017

Recognized by MoEFCC (Govt. of India) Under EPA 1986 I (Vide F. No. LB/9/7/2021-Sublab-HQ-CPCB-HQ/Pvt-322/92)



TEST REPORT

Format No-7.8F-01

ULR/Report No TC-639423000000615F	Sample code SMPL/ANQ/615/2023	Report issue date 04/09/2023
--------------------------------------	----------------------------------	---------------------------------

SAMPLE DETAILS

Name and Address of Customer:	M/s. Rithwik Projects Pvt. Limited DSHEP 66 MW Hydro Electric Project Dhaula Sidh Hamirpur Himachal Pradesh
Sampling Location:	Tunnel Side
Type of Sample:	Ambient Noise
Date of sampling:	30/08/2023-31/08/2023
Sample collected by:	SRLPL Team
Method of Sampling:	SRL/QR/SP/01
Laboratory Data Receiving date:	01/09/2023
Period of Data analysis:	01/09/2023-04/09/2023

AMBIENT NOISE RESULT

Noise Location	Test Method	Day			Night		
		L Max	L Min	L eq	L Max	L Min	L eq
Tunnel Side	IS-9989	59.7	52.8	56.2	45.8	40.8	43.3

Noise (Ambient Standard)


Area Code	Category of Area	Limit in dB (A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

Page-1/1

- Note:
- Day time shall mean from 6:00 a.m. to 6:00 p.m.
 - Night time shall mean from 10:00 p.m. to 6:00 a.m.
 - Silence zone is an area comprising not less than 100 meter ear and hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority.
 - Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

END OF REPORT


(Reviewed By)


(Authorized Signatory)

- Note:
- This result listed refer only to tested sample and applicable parameters.
 - This certified as not to be reproduced wholly or partly promotional publicity or legal purpose without permission of authority of SRLPL.
 - The sample will be destroyed after 21 days from date of issue of test report unless otherwise specified.
 - Any discrepancy found in the report may be communicated within seven day.

EST 2009



IAS-IAF



SISHODIA

Research Laboratories Pvt. Ltd.

CIN NO :- U73100UP2009PTC037857

Accredited by NABL as per ISO/IEC 17025 : 2017

Recognized by MoEFCC (Govt. of India) Under EPA 1986 I (Vide F. No. LB/99/7/2021-Sublab-HQ-OPCB-HQ/Pvt-322/92)



TEST REPORT

Format No-7.8F-01

URL/Report No TC-63942300000616F	Sample code SMPL/ANQ/616/2023	Report issue date 04/09/2023
-------------------------------------	----------------------------------	---------------------------------

SAMPLE DETAILS

Name and Address of Customer:	M/s. Rithwik Projects Pvt. Limited DSHEP 66 MW Hydro Electric Project Dhaula Sidh Hamirpur Himachal Pradesh		
Sampling Location:	Crusher Area		
Type of Sample:	Ambient Noise		
Date of sampling:	30/08/2023-31/08/2023	Sampling Period:	24 hr
Sample collected by:	SRLPL Team		
Method of Sampling:	SRL/QR/SP/01		
Laboratory Data Receiving date:	01/09/2023		
Period of Data analysis:	01/09/2023-04/09/2023		

AMBIENT NOISE RESULT

Noise Location	Test Method	Day			Night		
		L Max	L Min	L eq	L Max	L Min	L eq
Tunnel Side	IS-9989	61.4	56.2	58.2	46.4	39.8	43.1

Noise (Ambient Standard)

Area Code	Category of Area	Limit in dB (A) Leq	
		Day Time	Night Time
A	Industrial Area	75	70
B	Commercial Area	65	55
C	Residential Area	55	45
D	Silence Zone	50	40

- Note: 1. Day time shall mean from 6:00 a.m. to 10:00 p.m.
2. Night time shall mean from 10:00 p.m. to 6:00 a.m.
3. Silence zone is an area comprising not less than 100 meters around hospitals, educational institutions, courts, religious places or any other area which is declared as such by the competent authority.
4. Mixed categories of areas may be declared as one of the four above mentioned categories by the competent authority.

Page-1/1

END OF REPORT

(Reviewed By)

(Authorized Signatory)

- Note: 1. This result listed refer only to tested sample and applicable parameter
2. This certified is not to be reproduced wholly or parts for notional publicity or legal purpose without permission of authority of SRLPL
3. The sample will be destroyed after 21 days from date of issue of test report unless otherwise specified
4. Any discrepancy found in the report may be communicated within seven days.

EST 2009



SISHODIA

Research Laboratories Pvt. Ltd.

CIN NO :- U73100UP2009PTC037857

Accredited by NABL as per ISO/IEC 17025 : 2017

Recognized by MoEFCC (Govt. of India) Under EPA 1986 I (Vide F. No. LB/99/7/2021-Sublab-HQ-CPCB-HQ/Pvt-322/92)



TEST REPORT

Format No-7.8F-01

ULR/Report No TC-63942300000617F	Sample code SMPL/DWQ/617/2023	Report issue date 04/09/2023
-------------------------------------	----------------------------------	---------------------------------

SAMPLE DETAIL

1.	Name and Address of Customer:	M/s. Rithwik Projects Pvt. Limited DSHEP 66 MW Hydro Electric Project Dhaula Sidh Hamirpur Himachal Pradesh	
2.	Sampling Location:	Borewell	
3.	Type of Sample:	Drinking Water	
4.	Date of sampling: 31/08/2023	Sampling Timing:	10:25 AM
5.	Sample collected by:	SRLPL Team	
6.	Method of Sampling:	SRL/QR/SP/01	
7.	Packing condition: Sealed	Quantity Of Sample:	5 Liter, HDPE
8.	Laboratory Sample Receiving date:	01/09/2023	
9.	Period of Sample analysis:	01/09/2023-04/09/2023	
10.	Humidity (%)	80	Ambient Temperature (°C) 22

TESTING RESULT

Sr. No.	Parameters	Reference Method	Unit	Result	BIS Standard IS 10500: 2012	
					Requirement (Acceptable limit)	Permissible limit in the absence of alternate source
1	pH	IS 3025 P,11	-	7.60	6.5 - 8.5	NR*
2	Colour	APHA 23 rd Edition 2120-B	Hazen	0.15	Max. 5	70
3	Odour	APHA 23 rd Edition 2150-B	Qualitative	Agreeable	Agreeable	Agreeable
4	Total Dissolve Solids	IS 3025 P,16	mg/l	596	Max. 500	2000
5	Total Hardness as CaCO ₃	IS 3025 P,21	mg/l	236	Max. 200	600
6	Calcium as Ca	IS 3025 P,40	mg/l	109.5	Max. 75	200
7	Total Alkalinity as CaCO ₃	IS 3025 P,23	mg/l	522	Max. 200	600
8	Chloride as Cl ⁻	IS 3025 P,32	mg/l	146.8	Max. 250	1000
9	Fluoride as F ⁻	IS 3025 P,60	mg/l	0.69	Max. 1.0	1.5
10	Iron as Fe	IS 3025 P,53	mg/l	0.49	Min 0.3	NR*

NR*=No Relaxation

Page-1/2

END OF REPORT

(Reviewed By)

(Authorized Signatory)

Note-1 This result listed refer only to tested sample and applicable parameter

2 This certified is not to be reproduced wholly or parts promotional publicity or legal purpose without permission of authority of SRLPL.

3 The sample will be destroyed after 71 days from date of issue of test report unless otherwise specified

4 Any discrepancy found in the report may be communicated within seven days

ESTD 2009

SISHODIA

Research Laboratories Pvt. Ltd.

CIN NO :- U73100UP2009PTC037837



TEST REPORT

Format No-7.8F-01

Report No RPT/2300371	Sample code SMPL/DWQ/617/2023	Report issue date 04/09/2023
--------------------------	----------------------------------	---------------------------------

SAMPLE DETAIL

1.	Name and Address of Customer:	M/s. Rithwik Projects Pvt. Limited DSHEP 66 MW Hydro Electric Project Dhaula Sidh Hamirpur Himachal Pradesh	
2.	Sampling Location:	Borewell	
3.	Type of Sample:	Drinking Water	
4.	Date of sampling:	31/08/2023	Sampling Timing: 10:25 AM
5.	Sample collected by:	SRLPL Team	
6.	Method of Sampling:	SRL/QR/SP/01	
7.	Packing condition:	Sealed	Quantity Of Sample: 5 Liter, HDPE
8.	Laboratory Sample Receiving date:	01/09/2023	
9.	Period of Sample analysis:	01/09/2023-04/09/2023	
10.	Humidity (%)	80	Ambient Temperature (°C) 22

TESTING RESULT

Sr. No.	Biological Testing Parameters (Water)	Reference Method	Unit	Result	BIS Standard IS 10500: 2012 Requirement (Acceptable limit)
1	E. Coli	IS 5887(Part 1)	MPN/100ml	Absent	Shall not be detectable in any 100ml sample
2	Total Coliform Bacteria	APHA 23 ¹¹ 9221 B	MPN /100ml	Absent	Shall not be detectable in any 100ml sample

Page-2/2

END OF REPORT


(Reviewed By)


(Authorized Signatory)

Note 1: This result listed refer only to tested sample and applicable parameter.
 2: This certified is not to be reproduced wholly or parts promotional publicity or legal purpose without permission of authority of SRLPL.
 3: The sample will be destroyed after 21 days from date of issue of test report unless otherwise specified.
 4: Any discrepancy found in the report may be communicated within seven days.

Regd. Office : 645A/461, Jankivihar, Jankipuram, Lucknow, Pin Code - 226021 Uttar Pradesh, (INDIA)
 Mob. No. : 09958999176, 9415329658 Email : viveksinghsishodia@sishodialabs.com, cmd@sishodialabs.com
 Website : www.sishodialabs.com

EST 2009



SISHODIA

Research Laboratories Pvt. Ltd.

CIN NO :- U73100UP2009PTC037857

Accredited by NABL as per ISO/IEC 17025 : 2017

Recognized by MoEFDC (Govt. of India) Under EPA 1986 i (Wide F. No. LB/99/7/2021-Sublab-HQ-CPGE-HQ/Pvt-322/92)



TEST REPORT

Form (No-7.8F-01)

ULR/Report No. TC-639423000000618F	Sample code SMPL/WWQ/618/2023	Report issue date 04/09/2023
---------------------------------------	----------------------------------	---------------------------------

SAMPLING DETAIL

1.	Name and Address of Customer:	M/s. Rithwik Projects Pvt. Limited DSHEP 66 MW Hydro Electric Project Dhaulta Sidh Hamirpur Himachal Pradesh		
2.	Sampling Location:	STP Plant		
3.	Type of Sample:	Waste Water (STP Outlet)		
4.	Date of sampling:	31/08/2023	Sampling Timing:	10:30 AM
5.	Sample collected by:	SRLPL Team		
6.	Method of Sampling:	SRL/QR/SP/01		
7.	Packing condition:	Sealed	Container:	5 Liter, HDPE
8.	Laboratory Sample Receiving date:	01/09/2023		
9.	Period of Sample analysis:	01/09/2023-04/09/2023		
10.	Humidity (%)	80	Ambient Temperature(°C)	22

WASTE WATER TESTING RESULT

Sr. No.	Parameters	Unit	Reference Method	Results	Standard
1.	pH	-	IS 3025 P,11	7.10	6.5-9.0
2.	Total Suspended Solid	mg/l	IS 3025 P,17	27	<100
3.	Total Dissolved Solid	mg/l	IS 3025 P,16	829	2100
4.	Biochemical Oxygen Demand (3 Day 27°C)	mg/l	IS 3025 P,44	18	30
5.	Chemical Oxygen Demand	mg/l	IS 3025 P,58	69.9	250
6.	Oil & Grease	mg/l	IS 3025 P,39	2.9	10

Page-1/1

END OF REPORT


(Reviewed By)


(Authorized Signatory)

Note-1 This result listed refer only to tested sample and applicable parameter.

5 This certified is not to be reproduced wholly or parts promotional publicity or legal purpose without permission of authority of SRLPL

6 The sample will be destroyed after 31 days from date of issue of test report unless otherwise specified

7 Any discrepancy found in the report may be communicated within seven days

EST 2009



SISHODIA

Research Laboratories Pvt. Ltd.

CIN NO - U73100UP2009PT0037857

Accredited by NABL as per ISO 17025 : 2017

Recognized by MoEFCC (Govt. of India) Under EPA 1986 I (Vide F. No. LB/99/7/2021-Sublab-HG-CPOB-HO/Pvt-322/92)



TEST REPORT

Format No. 7AF-01

ULR/Report No	Sample code	Report issue date
TC-63942300000619F	SMPL/SQ/619/2023	04/09/2023

SAMPLING DETAIL

1	Name and Address of Customer:	M/s. Rithwik Projects Pvt. Limited DSHEP 66 MW Hydro Electric Project Dhaula Sidh Hamirpur Himachal Pradesh	
2	Sampling Location:	Batching Plant	
3	Type of Sample:	Soil	
4	Date of sampling:	31/08/2023	Sampling Timing: 12:05 PM
5	Sample collected by:	SRLPL Team	
6	Method of Sampling:	SRL/QR/SP/01	
7	Packing condition:	Sealed	Container: 2 kg/PP Bag
8	Laboratory Sample Receiving date:	01/09/2023	
9	Period of Sample analysis:	01/09/2023-04/09/2023	
10	Humidity (%)	80	Ambient Temperature (°C) 22

SOIL TESTING RESULT

Sl. No.	Parameters	Unit	Test Method	Result
1.	pH	-	IS:2720(PART-26):2011	8.15
2.	Conductivity	µmhos/cm	IS:14767 2000: 2016	1179
3.	Moisture content	%	IS:2720(PART 2):2015	14.87

Page-1/2

END OF REPORT

(Reviewed By)

(Authorized Signatory)

- Note-1 This result listed refer only to tested sample and applicable parameter
 2 This certified result to be reported orally or parts printed over publicly or legal purpose without permission of authority of SRLPL
 3 The sample will be destroyed after 21 days from date of issue of test report unless otherwise specified
 4 Any discrepancy found in the report may be communicated within seven days

EST 2009

SISHODIA

Research Laboratories Pvt. Ltd.

CIN NO :- U73100UP2009PTC037857



TEST REPORT

Report No	Sample code	Report issue date
RPT/2300372	SMPL/SQ/619/2023	04/09/2023

SAMPLING DETAIL

1	Name and Address of Customer:	M/s. Rithwik Projects Pvt Limited DSHEP 66 MW Hydro Electric Project Dhaula Sidh Hamirpur, Himachal Pradesh	
2	Sampling Location:	Batching Plant	
3	Type of Sample:	Soil	
4	Date of sampling:	31/08/2023	Sampling Timing: 12:05 PM
5	Sample collected by:	SRLPL Team	
6	Method of Sampling:	SRL/QR/SP/01	
7	Packing condition:	Sealed	Container: 2 kg/PP Bag
8	Laboratory Sample Receiving date:	01/09/2023	
9	Period of Sample analysis:	01/09/2023-04/09/2023	
10	Humidity (%)	80	Ambient Temperature (°C) 22

SOIL TESTING RESULT

Sl. No.	Parameters	Unit	Result
1.	Magnesium	mg/kg	579
2.	Sodium	mg/kg	90.8
3.	Potassium	mg/kg	21.7
4.	Total Kjeldhal Nitrogen	mg/kg	122.4
5.	Iron	mg/kg	118
6.	Nitrate Nitrogen	mg/kg	87.6
7.	Calcium	mg/kg	582
8.	Sodium Absorbntion Ratio (SAR)		3.8

Page-2/2

***END OF REPORT**

(Reviewed By)

(Authorized Signatory)

Note: 1. This result listed refer only to tested sample and applicable parameter.

2. This certificate can't be reproduced wholly or partly on a social publicity or legal purpose without permission of SRLPL.

3. The sample will be destroyed after 30 days from date of issue of test report unless otherwise specified.

4. Any discrepancy found in the report may be communicated within seven days.

EST 2009



SISHODIA

Research Laboratories Pvt. Ltd.

CIN NO - U73100UP2009PTC037857

Accredited by NABL as per ISO/IEC 17025 : 2017

Recognized by MoEFCC (Govt. of India) Under EPA 1986 (1) (Vide F. No. LB/99/7/2021-Sublab-HO-OPCB-HO/Pvt-322/92)



TEST REPORT

Format No- TRF-01

ULR/Report No	Sample code	Report issue date
TC-639423000000620F	SMPL/SQ/620/2023	04/09/2023

SAMPLING DETAIL

1	Name and Address of Customer:	M/s. Rithwik Projects Pvt. Limited DSHEP 66 MW Hydro Electric Project Dhaula Sidh Hamirpur Himachal Pradesh	
2	Sampling Location:	Diverson Tunnel	
3	Type of Sample:	Soil	
4	Date of sampling:	31/08/2023	Sampling Timing: 12:45 PM
5	Sample collected by:	SRLPL Team	
6	Method of Sampling:	SRL/OR/SP/01	
7	Packing condition:	Sealed	Container: 2 kg/PP Bag
8	Laboratory Sample Receiving date:	01/09/2023	
9	Period of Sample analysis:	01/09/2023-04/09/2023	
10	Humidity (%)	80	Ambient Temperature(°C) 22

SOIL TESTING RESULT

Sl. No.	Parameters	Unit	Test Method	Result
1.	pH	-	IS:2720(PART-26):2011	8.15
2.	Conductivity	µmhos/cm	IS:14767 2000: 2016	1088
3.	Moisture content	%	IS:2720(PART 2):2015	14.87

Page-1/2

END OF REPORT

(Reviewed By)

(Authorized Signatory)

- Note-1. This result listed refer only to tested sample and applicable parameter
 2. This result is not to be reproduced verbally or in any promotional publicity or legal purpose without permission of authority of SRLPL
 3. The sample will be destroyed after 21 days from date of issue of test report unless otherwise specified
 4. Any discrepancy found in the report may be communicated within seven days

EST 2009

SISHODIA

Research Laboratories Pvt. Ltd.

CIN NO :- U73100UP2009PTC037857



TEST REPORT

Report No RPT/2300373	Format No: T.RF.01 Sample code SMPL/SQ/620/2023	Report issue date 04/09/2023
--------------------------	---	---------------------------------

SAMPLING DETAIL

1	Name and Address of Customer:	M/s. Rithwik Projects Pvt. Limited DSHEP 66 MW Hydro Electric Project Dhaula Sidh Hamirpur Himachal Pradesh	
2	Sampling Location:	Diversion Tunnel	
3	Type of Sample:	Soil	
4	Date of sampling: 31/08/2023	Sampling Timing:	12:45 PM
5	Sample collected by:	SRLPL Team	
6	Method of Sampling:	SRL/QR/SP/01	
7	Packing condition: Scaled	Container:	2 kg/PP Bag
8	Laboratory Sample Receiving date:	01/09/2023	
9	Period of Sample analysis:	01/09/2023-04/09/2023	
10	Humidity (%) 80	Ambient Temperature(°C)	22

SOIL TESTING RESULT

Sl. No.	Parameters	Unit	Result
1.	Magnesium	mg/kg	598
2.	Sodium	mg/kg	89.7
3.	Potassium	mg/kg	19.9
4.	Total Kjeldhal Nitrogen	mg/kg	125.8
5.	Iron	mg/kg	120
6.	Nitrate Nitrogen	mg/kg	89.8
7.	Calcium	mg/kg	564
8.	Sodium Absorbion Ratio (SAR)	-	3.9

Page-2/2

END OF REPORT


(Reviewed By)

- Note-1 This result listed refer only to tested sample and applicable parameter
 2 The method is not to be reproduced whole or parts for analytical or legal purpose without permission of authority of SRLPL
 3 The sample will be destroyed after 21 days from date of issue of test report unless otherwise specified
 4 Any discrepancy found in the report may be communicated within seven days



F. No. J-12011/15/2010-IA.I
 Ministry of Environment, Forest and Climate Change
 Government of India
 (IA Division)

2nd floor, Vayu Block,
 Indira Paryavaran Bhawan,
 Aliganj, Jor Bagh,
 New Delhi - 110 003

Dated: 28th December, 2022

To,

The Addl. General Manager
 SJVNL
 Distt.- Hamirpur-177001 (H.P.)
 E-mail: pkg1dshep@gmail.com

Subject: Regarding Constitution of Multi-Disciplinary Committee (MDC) to oversee the implementation of various environmental safeguards proposed in EIA/EMP report during construction of Dhaulasidh HEP (66 MW), S J V N Ltd. in Hamirpur District of Himachal Pradesh.

Sir,

This has reference to your letter No. letter No. SJVN/DSHEP/Envt/EC/ Compliance /2021-90 dated 29.10.2021 received in the Ministry from M/s SJVN Limited regarding constitution of Multi-Disciplinary Committee (MDC) to oversee the implementation of various safeguards proposed in EIA/EMP report of Dhaulasidh HEP (66MW), during construction period of the project in accordance of Environmental Clearance (EC) General Condition (Sr. No. 12). The aforesaid EC condition of the Environmental Clearance letter dated 21.02.2013 is reproduced as under:

"A multi-disciplinary Committee (MDC) for monitoring the implementation of environmental safe guards during construction shall be constituted by the project proponent (PP) in consultation with the Ministry as early as possible. A panel may be proposed by the PP and submitted to Ministry. The project proponent shall organize six monthly meetings of the Committee and submit the monitoring report to the Ministry."

2. The Competent authority has approved the constitution of Multi- Disciplinary Committee (MDC) as under:

S. No.	Name/Post	Discipline	Nomination
1.	Chief Conservator of Forests, Hamirpur Forest Circle, HP Forest	Forestry	Chairman ✓
2.	Head of the Integrated Regional Office (Shimla) as representative of MoEF&CC	MOEF&CC	Member ✓
3.	Himalayan Forest Research Institute, Shimla	Official Expert Ecology	Member ✓
4.	Chief Conservator of Forest (Wildlife) North, HP Forest Department, Dharamshala	Official Expert (Wild Life)	Member ✓
5.	Member Secretary, HPPCB, Himachal Pradesh	Member Secretary/ Representative	Member



6.	Fisheries, HP Fisheries Department, Palampur, Distt: Kangra, Himachal Pradesh	Official Expert (Fisheries)	Member
7.	JE, Department of Agriculture, Hamirpur, Himachal Pradesh	Official Expert (Soil) Conservation	Member
8.	Prof. O. P. Monga, (Retired Prof. of Sociology, HPU) Solan, Himachal Pradesh	Non-official Expert (Sociology)	Member
9.	Head of Department (Environment), Dhaulasidh HEP, Hamirpur	Official Expert (Environment)	Member
10.	Sr. Manager (Environment) M/s SJVN, Shimla	Official Expert (Environment)	Member
11.	Addl. General Manager	Project Head, SJVNL	Member Secretary

3. Whenever MDC is convened, minutes of the meeting shall be submitted to the Ministry.

4. This issues with the approval of the Competent Authority.

Yours faithfully,

g. j. j.
20.12.2022
(Yogendra Pal Singh)
Scientist 'E'

Copy to:

1. The Deputy Director General of Forests (C), Ministry of Env., Forest and Climate Change, Integrated Regional Office, Shimla 1st & 2nd Floor, C.G.O. Complex, Longwood, Shimla - 171 001.
2. Dhaulasidh Hydro Electric Project, M/s Satluj Jal Vidyut Nigam Limited, Corporate H.Q., Shakti Sadan, Shanan, Shimla - 171 006.
3. Guard File



AGENCY COPY

NEFT / RTGS CHALLAN for Ad-HOC CAMPA

Date : 07-10-2019

Agency Name.	DSHEPSJVN LTD
Application No.	5696500931
MoEF/SG File No.	NA
Location.	HIMACHAL PRADESH
Address.	H.N.-113, SJVN officeHamirpur
Amount(in Rs)	268252161/-

Amount in Words Twenty-Six Crore Eighty-Two Lakh Fifty-Two Thousand One Hundred and Sixty-One Rupees Only

NEFT/RTGS to be made as per following details;

Beneficiary Name:	HIMACHAL PRADESH CAMPA
IFSC Code:	CORP0000371
Pay to Account No.	150705696500931 Valid only for this challan amount.
Bank Name & Address:	Corporation Bank Lodhi Complex Branch, Block 11 CGO Complex Phase I, Lodhi Road, New Delhi -110003

- This Challan is strictly to be used for making payment to CAMPA by NEFT/RTGS only
- This challan is valid only for seven days

After making successful payment, User Agencies n
Email: helpdeskampa@corpbank.co.in

Annexure - F

एसजेवीएन लिमिटेड
SJVN Limited

(A Joint Venture of Govt. of India & Govt. of Himachal Pradesh)

A 'Mini Ratna' & Schedule 'A' PSU

CIN: L40101HP1988GOI008409

धौलासिद्ध जल विद्युत परियोजना

Dhaulasidh Hydro Electric Project



No.: SJVN/DSHEP/04-01/H-28/2023- 1762

Date: 22.08.2023

To

Dr. Y.P. Singh,
Director- IA-I,
Ministry of Environment, Forest and Climate Change,
Vayu Wing, Indira Paryavaran Bhawan, Jor Bagh Road,
New Delhi- 110003
E-mail: yogendra78@nic.in

Subject:- Re- Constitution of Multi-Disciplinary Committee (MDC) to oversee the implementation of various environmental safeguards proposed in EIA/ EMP report during construction of Dhaulasidh HEP (66 MW), SJVN Ltd in Hamirpur District of Himachal Pradesh - regarding.

Reference: Environment Clearance (EC) letter no. J-12011/15/2010-IA-I dated 21/02/2013 for construction of 66 MW Dhaulasidh Hydro Electric Project.

Sir,

This is in continuation to MoEF&CC, GoI (IA Division) F. No. J-12011/15/2010-IA.I dated 28.12.2022 vide which Multi - Disciplinary Committee (MDC) to oversee the implementation of environmental safe guards during construction of Dhaulasidh HEP (66 MW) was constituted (Copy enclosed as Annexure-1).

Accordingly, the 1st MDC meeting at project site was conducted on 18.01.2023 (copy enclosed as Annexure-2) in the Chairmanship of CCF, Hamirpur Forest Circle, HP Forest Department.

Now it is intimated that Chairman of the said MDC got transferred and currently the CCF post in the Hamirpur Forest Circle is vacant. However, the Conservator of Forest for the Hamirpur Forest Circle is available.


In view of above, it is requested to re-constitute the said MDC for monitoring the implementation of environmental safe guards during construction period of the project.

The details of representative of various departments proposed as committee member for Multi-Disciplinary Committee (MDC) are given in Annexure-3 for your perusal.

Therefore, it is requested to kindly re-constitute the Multi - Disciplinary Committee (MDC) at the earliest.

Thanking you.

Yours faithfully



Head of Project

Dhaulasidh Hydro Electric Project

Distt.- Hamirpur-177044 (H.P.)

E-mail: hdp.dshep@gmail.com

कारपोरेट मुख्यालय: शक्ति सदन, शानान,

शिमला-171006 (हि.प्र.)

परियोजना कार्यालय:

धौलासिद्ध जल विद्युत परियोजना हमीरपुर,

सलासी, डाकघर जीहण, तहसील नादौन जिला हमीरपुर (हि.प्र.)-177044

दूरभाष 01972-223237

Corporate H.O. : Shakti Sadan, Shanan,

Shimla-171006 (HP)

Project Office:

Dhaulasidh Hydro Electric Project Hamirpur

Salasi, P.O. Jeehan, Teh. Nadaun Distl. Hamirpur (H.P.)-177044

Tele: 01972-223237

अपने तथा राष्ट्र के हित में ऊर्जा की बचत करें।

SAVE ENERGY FOR BENEFIT OF SELF AND NATION

एसजेवीएन लिमिटेड SJVN Limited

(A Joint Venture of Govt. of India & Govt. of Himachal Pradesh)

A 'Mini Ratna' & Schedule 'A' PSU

CIN: L40101HP1988GOI008409

धौलासिद्ध जल विद्युत परियोजना

Dhaulasidh Hydro Electric Project



Representative of various departments proposed for re-constitution of Multi-Disciplinary Committee (MDC) for Dhaulasidh HEP (66 MW)

Sl. No.	Name/ Department	Nomination	Remarks
1.	Head of Project, Dhaulasidh HEP, Hamirpur	Chairman	Ph. No.- 01972-223237 Email: hop.dshep@gmail.com
2.	Representative of MoEF&CC Integrated Regional Office, Shimla	Member	
3.	Representative of Himalayan Forest Research Institute, Shimla	Official Expert Member (Ecology)	
4.	Representative of HP Forest Department, District- Hamirpur, H.P.	Official Expert Member (Forestry)	Ph. No.- 01972-223217 Email: cfham-hp@nic.in
5.	Representative of Wildlife wing of HP Forest Department, Dharamshala	Official Expert Member (Wildlife)	Ph. No.- 01892-224959 Email: cfdha-hp@nic.in
6.	Representative of HP Fisheries Department, Palampur, Distt: Kangra, Himachal Pradesh	Official Expert Member (Fisheries)	Ph. No.- 01894231872 Email: adfisheries-pal-hp@nic.in
7.	Representative of Department of Agriculture, Hamirpur, Himachal Pradesh	Official Expert Member (Soil Conservation)	
8.	Prof. O. P. Monga, (Retired Prof. of Sociology, HPU), Solan, Himachal Pradesh	Non official Expert Member (Sociology)	Mob.- 94181267609 Email: opmonga2001@yahoo.com
9.	Representative of Corporate Environment Department, M/s SJVN, Shimla, H.P.	Official Expert Member (Environment)	Email: sjvn.ced@sjvn.nic.in
10.	Head of Department (Environment)/ Representative, Dhaulasidh HEP, Hamirpur, H.P.	Member Secretary	Email: kris10978@gmail.com

Handwritten signature
22/8/23

Head of Project
Dhaulasidh Hydro Electric Project
Distt.- Hamirpur-177044 (H.P.)
E-mail: hop.dshep@gmail.com

कारपोरेट मुख्यालय: शक्ति सदन, शानन,
शिमला-171006 (हि.प्र.)

परियोजना कार्यालय:

धौलासिद्ध जल विद्युत परियोजना हमीरपुर,

सलासी, डाकघर जीहण, तहसील नादौन जिला हमीरपुर (हि.प्र.)-177044

दूरभाष: 01972-223237

अपने तथा राष्ट्र के हित में ऊर्जा की बचत करें।

Corporate H.O. : Shakti Sadan, Shanan,
Shimla-171006 (HP)

Project Office:

Dhaulasidh Hydro Electric Project Hamirpur

Salasi, P.O. Jeehan, Teh. Nadaun Distt. Hamirpur (H.P.)-177044

Tele: 01972-223237

SAVE ENERGY FOR BENEFIT OF SELF AND NATION